

Equipment Located at: Lake Zurich, Illinois

Auction Date: December 17, 2024

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

Lot	Qty.	Description	Lot	Qty.	Description
1	1	8,000 Lb. Yale Electric Pallet Jack; s/n 890N0Z922J, Double Pallet Length, 24 Volt, Truck Weight w/ Battery: 2,950 Lb., Truck Weight w/ot Battery: 1,450 Lb., 775 Hours, Inventory No. 18601a	8	1	25 HP Bell & Gossett Model 2-1/2/2AB 7-BF Water Pump; s/n 1673973, Series 1510, 180 GPM, 3520 RPM US Motors AC Motor, Electrics: 230/460, Approx. Dimensions: 48"L x 20"W x 24" High
2	1	9,600 Lb. Hyster Model S100XL LP Forklift; s/n D004D10245Y, 22" x 12" x 16" Tire Size, 3-Stage Mast, 9,600 Lb. at 24" Load Center, 48" Forks, Side Shift, Truck Weight: 15,268 Lb. (New 2001), Inventory No. 19020A	9	1	40 HP Goulds Model 3196 Water Pump; s/n 205C862-1, Size: 8X10-15G, 40 HP Siemens 1,175 RPM Motor, Electrics: 230/460, Approx. Dimensions: 60" L x 30" W x 36" High, Inventory No. 20100a
3	1	40 HP Ingersoll Rand Model IRN40H-TAS Air Compressor; s/n BN1936U10216, Approx. Dimensions: 76"L x 32"W x 82" High, 5,300 RPM, 140 CFM, 150 PSIG, 380-480 Volt, 60HZ, 3-Phase, 66.6 Amps, 92,000 Hours (New 2010), Inventory No. 20602j	10	1	Water Pump; 7.5 HP Baldor Motor, 3,450 RPM, Electrics: 208-230/460, Inventory No. 20104a
4	1	1,250 SCFM Kaeser Model TH371E Air Dryer; s/n 1000002721799, Electrics: 460/3/60, 15 Amp, Approx. Dimensions: 51"L x 50"W x 84" High, w/ Spare Controller Removed From Sister Unit, Unused Automatic Drain Trap - AMD-6550, Inventory No. 20083a	11	1	Sumitomo Model CHHJM-S-30-4185Y-25 SM-Cyclo Planetary Gear Reducer; s/n D177282, 25:1 Gearbox Ratio, Rated To 35.7 HP, 30 HP General Electric AC Motor, Electrics: 460/3/60, 286TC Frame, 34.7 Amps, Approx. Dimensions: 48" L x 24" W x 24" High, Inventory No. 20449a
5	1	60" Wide International Model IVB606HF Vertical Baler; s/n 10710, 10 HP, 480 Volt, Overall Dimensions: 80"L x 45"W x 152" High (New 1998), Inventory No. 20297j	12	1	(Lot)(2) 3M Model 120A Box Tapers; s/n 50466 (2005) & 50588 (2006), Type 19700, 115 Volt, 3.6 Amp, Approx. Dimensions & Weight per Machine: 48" L x 30" W x 66" High, 300 Lb., Inventory No. 18566A
6	1	72" Wide Harmony/Heco Model M72 Low Profile Vertical Baler; Electrics: 460/3/60, Approx. Bale Size: 72" x 30" x 30", Approx. Dimensions: 96" L x 40" W x 90" High, Inventory No. 20874A	13	1	19" x 150" Leblond Makino Engine Lathe; 19" Swing Over Bed, 150" Distance Between Centers, 3" Hole thru Spindle, 1,600 RPM, Equipped w/ Steady Rest, Morse No. 5 Taper, Taper Attachment, Electrics: 230/3/60, Approx. Dimensions: 213"L x 53"W x 55" High, 7,000 lbs, Inventory No. 20259a
7	1	7.5 HP Bell & Gossett Water Pump, Series 1510, Inventory No. 20091a	14	1	Used National Model 24D120 Engine Lathe; 24" Swing, 120" Between Centers, Inventory No. 20671a

Equipment Located at: Lake Zurich, Illinois

Auction Date: December 17, 2024

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

Lot	Qty.	Description	Lot	Qty.	Description
15	1	9" x 48" Frejoth Model AM-2V Vertical Mill w/ Readout; s/n 000182, 3 Hp, 60-4,200 RPM, 230 Volt, Newal Dual Axis Readout (New 2000), Inventory No. 20002a	23	1	20 HP American Vacuum Model 05204 Multistage Centrifugal Blower; s/n 0404116-19896, Model 05204, Order Number 19896, 20 HP AC Motor, 3,540 RPM, Electrics: 208-230/460, w/ Silencer & Butterfly Valve, Approx. Dimensions: 66" L x 30" W x 60" High, Inventory No. 20108A
16	1	Lagun Model FTV-2 Vertical Mill; Nilam Wizard 211 Controller, 10" W x 50" L Table, Electrics: 480/3/60, Approx. Dimensions: 80" L x 70" W x 80" High, Inventory No. 18287a	24	1	30" Diameter Adaptive Engineering & Fabrication(Entek) Filter Receiver; 60" Lone Straight Side, 20" Lone Cone, 3" Inlet, 3" Outlet, 6" Diameter Pneumatic Slide Gate Pneumatic Pulse Jets, Approximate Dimensions: 50" L x 42" W x 124" High, Inventory No. 20525a
17	1	10' W Cincinnati 1010 Shear; s/n 25867, 10 Gauge Mild Steel Capacity, 32" Table Height, 5 HP Baldor Motor, Wired for 480V w/ Plug, Approx. Dimensions: 156" L x 62" W x 72" High, Inventory No. 20069a	25	1	60" x 60" x 96" UnaDyn Surge Bin; Suction Box w/ Slide Gate, Sight Glass, Indicator, Welded Top, Inventory No. 20885j
18	1	18" x 5" Peerless Champ VII Band Saw; s/n 011141, 2 HP, 18" x 5" Cutting Capacity (6" x 7.5"@45degrees), 74-402 SFPM, Manual Tension, w/ Coolant Pump, Machine Weight: 350KG, Machine Dimensions: 69" x 25" x 45", Inventory No. 18058a	26	1	60" x 60" x 96" UnaDyn Surge Bin; Suction Box w/ Slide Gate, Sight Glass, Indicator, Welded Top, Inventory No. 20886j
19	1	200 Ton Multipress Model 4-COL-200T Compression Molder 4 Column Press; s/n M-5312, 40 HP Reliance Electric AC Motor, 230/460 Volt, 99/49.5 Amps, Tie Bar Distance: 72" x 52.5", Light Curtains, Electrics: 460/3/60, Floor Dimensions: Press- 96" x 78" x 124", Hydraulic Unit- 98" x 58" (New 2002), Inventory No. 20292a	27	1	8" Wide Hoppmann Model EP08/08CRs Inclined Conveyor; 2" High Cleats, 7' Length, Adj. Height, 42" x 48" Feed Bin, w/ Top, 1/4 Hp Motor, 120 Volt w/ Speed Control, Overall Dimensions: 89" x 46" x 96" High, Inventory No. 20878j
20	1	OPEN	28	1	8" Wide Hoppmann Model EP08/08CRs Inclined Conveyor; 2" High Cleates, 7' Length, Adj. Height, 42" x 48" Feed Bin, w/ Top, 1/4 Hp Motor, 120 Volt w/ Speed Control, Overall Dimensions: 89" x 46" x 96" High, Inventory No. 20876j
21	1	OPEN	29	1	8" Wide Hoppmann EP08/08CA Inclined Conveyor; 2" High Cleats, 7' Length, Adj. Height, 42" x 48" Feed Bin, w/ Top, 1/4 Hp Motor, 120 Volt w/ Speed Control, Overall Dimensions: 89" x 46" x 96" High, Inventory No. 20877j
22	1	40 HP Dryer Blower with Filter; 12" Inlet, 12" Outlet, Direct Drive, 3,555 RPM, 47.1 Amp, 460 Volt AC GE Industrial Motor, Overall Dimensions: 71"L x 77"W x 104" High, Inventory No. 20183a			

Equipment Located at: Lake Zurich, Illinois

Auction Date: December 17, 2024

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

Lot	Qty.	Description	Lot	Qty.	Description
30	1	17' Mayfran Steel Belt Conveyor w/ Box Dumper; s/n 760686-1, 11" Wide Belt, 4" High Steel Cleats, 3 HP AC Motor With Gearbox, Heavy Duty Chain, 48" Hydraulic Box Dumper, Inventory No. 20694a	34	1	3.5" Cincinnati Milacron Model Apex 3.5 Side Feed Single Screw Extruder; s/n 09A0200001, 30:1 L/D Ratio, 30:1 L/D Special Screw for MuCell Material, Side Port Feed Throat for MuCell Material Entry, Water-Cooled Barrel, Belt Driven Thru Flender SZNE-250 18.17:1 Gearbox Rated To 250 HP, 6-Barrel Zones, (3) Die Zones, Eurotherm/Milacron Temperature Controllers, GE Fanuc PLC, 75 HP Reliance Motor & Reliance GV3000/SE AC Inverter Drive, Electrics: 460/3/60, 198 Amps, w/ Screw & Clamp, Approx. Dimensions: 13' L x 5' W x 8' High, 11,000 Lb. (New 1999), Inventory No. 18628A
31	1	65MM Kiwex 25:1 Extruder, s/n KW210826-1, Air Cooled, 25 HP AC Motor, ABB Drive, 4-Barrel Zones, 2-Die Zones, Amp Meters w/ Ea. Heat Zone, Speed Gauge, Amp Meter, Remote Control Panel, Currently Machines has a 53" Centerline has a Motorized Base Raise w/ Approx. 10" Of Adjustment (Could Be Lowered To 42.5"), w/ Hopper, Dimensions:100" x 154"x 84"(New 2021 Vintage), Inventory No. 19976j	35	1	3.5" Prodex Extruder; 24:1 L/D Ratio, 29.51:1 Lufkin/Prodex Gearbox, 5-Barrel Zones, Air-Cooled Barrel, 42" Centerline, 4.5" L x 4" W Feed Throat, Electrics: 460/3/60, Inventory No. 18683a
32	1	3" Merritt Davis Extruder w/ 1.25" Merritt Co-Extruder; 60 HP Motor AC Motor, Siemens AC Drive , 24:1 L/D Ratio, Air Cooled, 4-Barrel Zones, 22:1 Gear Ratio, 1.25" Pedestal Extruder w/ Tilt & Swing, 5 Hp AC Motor, 23.2:1 Gear Ratio, (12) Total Die Zones For the System, Both Machines w/ Clamps, Amp Meters, RPM Gauges, Isolated Drive & Temp Control Panel, Approx. Dimensions: 151" Length x 90" Width x 71" High, Inventory No. 19984j	36	1	3.5" Davis Standard Extruder; s/n F-8613, Water Cooled, 75 HP, Inventory No. 19368a
33	1	3" Cincinnati Milacron Extruder, 75 Hp Black Max Motor, 32:1 L/D Ratio Water Cooled, Current Center line 54", Belt Driven Motor, 13.84:1 Gear Ratio, 7-Barrel Zones, 148" x 89" x 72" High (NO CONTROL PANEL), Inventory No. 19382A	37	1	3.5" Davis Standard Extruder; s/n F8612, 24:1 L/D Ratio, Water Cooled, 75 HP, DC Motor, 5-Barrel Zones, (10) Die Zones, Belt Driven w/ 17.36:1 Gear Ratio (105 HP Capacity With 1.5 S.F.), 125 Amp Main Motor, 250 Amp Disconnect, 42" Centerline Height, w/ Barrel Clamp & (2) Screws, 10 Hp Crammer Feeder, Variable Speed Drive, Auxiliary Pump w/ Feeder, Dimensions: 68" x 157" x 120" High Top Of Crammer, Inventory No. 19369a

Equipment Located at: Lake Zurich, Illinois

Auction Date: December 17, 2024

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

Lot	Qty.	Description	Lot	Qty.	Description
38	1	3.5" Merritt Davis Model 3.5 Extruder with 1.5" Merritt Co-Extruder; 75 HP Motor, DC Main Motor, Dual Speed (2000,1,150 RPM) Direct Drive To A 13.9:1 Gearbox, 5-Barrel Zones, Air Cooled, 1.5" Co-Extruder w/ 24:1 L/D Pedestal Extruder On Common Base, 3-Air Cooled Barrel Zones, 10 HP AC Motor, (14.22 GR) Raise/Lower Tilt and Swing Mount, Unitized Control Panel, Solid State Relays, Amp Meters For Each Zone, (12) Downstream Zones In Total, Each Machine Has Amp Gauge, RPM Gauge & Pressure, 400 Amp Main Breaker, Overall Dimensions: 80" W x 182" L x 80" High, Inventory No. 19983j	40	1	3.5" Cincinnati Milacron Model APEX Single Screw Extruder; 100 HP, 24:1 L/D Water Cooled Barrel, (5) Cooling Zones w/ Water Recirculation Pump, Flender Model SZNE-250 Gearbox, 18.17 Gearbox Ratio, 150 HP Capacity, 100 HP DC Motor & Spectrum DC Drive, 1750/2000 Motor RPM, 5-Barrel Zone & (4) Die Zone Controllers, w/ Speed Pod Clamp & Screw (New 1995), Inventory No. 19664a
39	1	90MM Battenfeld Model 9090 Single Screw Extruder; s/n 293, 30:1 L/D Ratio, Air-Cooled Barrel, 6.6:1 Gearbox Ratio, Gearbox Rebuilt By Texas Extrusion IN 2015 250 HP Baldor DC Motor w/ Control Techniques Model M550-141CD Quantum III Drive, 4-Barrel Zones, (39) Die Zones, Panel Missing Some Controllers, 500 AMP Breaker For Temperatures, 350 Amp Breaker On Drive, Electrics: 460/3/60, w/ 3.5" Beringer Screen Changer w/ 2 HP Hydraulic Power Pack, Approx. Dimensions: Extruder: 222" L x 60" W x 84" High, Control Panel: 112" L x 28" W x 72" High, Previously Running HDPE Pipe (New 1995), Inventory No. 19538j	41	1	20' CDS Vacuum Sizing Tank; s/n 8607090709, 16" Wide x 12" Deep, 460 Volt, 20 Amps, 3-Phase, (18) Water Outlets, (18) Vacuum Outlets, 4KW Water Ring Vacuum Pump, 3 HP Process Pump, 42" +/- 3" Centerline, On Casters, w/ Inline Filter, Plate & Frame Heat Exchanger, Circulation Tank (New 2009), Inventory No. 19934j
			42	1	20' CDS Vacuum Sizing Tank; s/n 8610200709, 16" Wide, (18) Water Outlets, (18) Vacuum Outlets, 36" Primary Section, (4) 48" Sections, (1) 12" Section, 7.5 HP Marathon Vacuum Pump, 3 HP Baldor Recirculation Pump, Control Panel, 130" L x 15" W x 14" High Holding Tank, Plate & Frame Heat Exchanger & Filter, Right To Left Operation, Electrics: 460/3/60, 20 Amp, 42" +/- 3" Centerline, On Casters, Overall Dimensions: 21' L x 4' W x 6' High (New 2009), Inventory No. 19935j

Equipment Located at: Lake Zurich, Illinois

Auction Date: December 17, 2024

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

Lot	Qty.	Description	Lot	Qty.	Description
43	1	20' Tec Polymer Vacuum Sizing Tank; 16" W x 12" Cross Section, 24" Primary Vacuum Section, 12" W x 8" H Bulkhead Openings, 7.5 HP Travaini TRSE 40-100/C/RX Vacuum Pump, 3 HP Water Recirculation Pump, (18) Port Vacuum Manifold, (6) Port Water Manifold, 42" Centerline, Electrics: 460/3/60, Right To Left Operation, Motor Starter Controls, Aluminum Lids, On Casters w/ Leveling Screws & Tank Raise, Approx. Dimensions: 22' L x 56" W x 80" High, Inventory No. 19941J	46	1	16" x 16" Granutec Model TFG1616HD40 Granulator; s/n 3962755, 40 HP Motor, 50 Amps, 3-Knife Open Rotor, 2-Bed knives, 3/8" Screen, Tangential Feed, Slant Cut, 4" Air-Veyor Discharge, Max throughput-1,000 lbs/hr., Machine Dimensions: 60" x 38" x 65", Approx. Weight: 3,500 Lb., w/ New WEG Starter) (New 1996), Inventory No. 8791
44	1	65mm Milacron Model TC65 Conical Twin Screw Extruder; s/n E65TCAC050010, 50 HP Allen Brandley AC Motor, Milacron Gearbox w/ 59.1 Gearbox Ratio, 4-Barrel Zones, (3) Air Cooled w/ Blowers, Vented Barrel Section, Mosaic Controller, Allen Bradley Power Flex 700 AC Drive, 1 HP Hopper Feeder, Electrics: 460/3/60 - 165 Amps, Isolation Transformer, Dimensions: 12' x 58" x 99" (New 2009), Inventory No. 20662A	47	1	12" x 20" Nelmor Model RG1220PI Granulator w/ Sound Enclosure, s/n 970437618, 10 HP, 3-Knife Closed Rotor Design, Chute Style Infeed, 3/8" w/ Bin Discharge, 230 Volt, 73" Infeed Height, Machine Dimensions: 44" x 53" x 86" High, Inventory No. 19987j
45	1	90mm Gamma Meccanica Pelletizing Line Including; 90mm Single Screw Extruder (2010); 33:1 L/D Air Cooled Vented Barrel w/ Vacuum Pump, 90KW Direct Drive ABB Motor, Zambello Gearbox, 14:1 Ratio, 145 Max Screw RPM, BD Plast Slide Plate Screen Changer on Stand, w/ Hydraulic Powerpack, Gamma Meccanica Model TDA 3.4 Water Ring Pelletizer; 3.6KW Cutting Head, 3 HP Spin Dryer, Two-Screen Spin Dryer, Siemens Touchscreen Control Panel, ABB Drive, Was Previously Running Approximately 500 Lbs/Hr of PE, Total Installed Power 170 KW, Overall Dimensions: 7,700MM Length x 2,250MM Width x 2,650MM Height w/ Hopper, Inventory No. 20789a	48	1	12" x 30" MPG Model GP1230 Granulator; 3-Knife Open Rotor, 2-Bed Knives, 30 HP Motor, 88" High In-Feed, New Fly Knives, New Bed Knives, New 3/8" Screen, 6" Air-Veyor Discharge, Electrics: 480/3/60, 40 AMPS, Approx. Dimensions: 96" L x 52" W" x 100" High, Does not Include Hopper Tilt Mechanism (New 1996) , Inventory No. 16137J
			49	1	40 HP Model PVR50-50BSR-RF-0-5-H Hydraulic Powerpack, 40 HP Baldor Motor, 1,500 PSI, Approx. Dimensions: 72" L x 44" W x 50" High, Inventory No. 18943A
			50	1	Conair ResinWorks Dryer Stands with Hopper, s/n 158372, Dryer Hopper Model CH24-18, 18 cu/ft Hopper, Resinworks Hopper Controller, Controls: Heat & Air on/of lever, Temp Set Point & Actual Temp Readout, 73" x 96" x 110" High Plus 70" Hopper and Receiver, Inventory No. 20917A

Equipment Located at: Lake Zurich, Illinois

Auction Date: December 17, 2024

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

Lot	Qty.	Description	Lot	Qty.	Description
51	1	Approx. 150 cu/ft Bin Agitator, (3) 2.2KW SEW Motor/Gearboxes, (2) Mixing Augers, (1) Discharge Auger, 14" x 11" Discharge, 25" High Discharge, Mixing Area: 82" x 59" x 70", Mitsubishi Touch Screen Control Panel, (3) Mitsubishi D700 Drives, With Ladder & Catwalk, Dimensions: 125" x 103" x 108", Inventory No. 20752A	71	1	Conair Model AL 5 Vacuum Loader w/ Hopper
52	1	Eriez Model HVC1210 High Volume Mechanical Conveyor, Inventory No. 12229A	72	1	OPEN
53	1	40" Stainless Steel Drum Tumbler / Mixer, Inventory No. 18612A	73	1	OPEN
54	1	60MM Berstorff Co-Rotating Twin Screw Extruder; 34:1 L/D Ratio, 500 RPM Screw Speed, Inventory No. 16031A	74	1	OPEN
55	1	11' Long Greiner Vacuum Table, Inventory No. 18647A	75	1	OPEN
56	1	17.5" Wide x 42" Long United Plastic Machinery Belt Puller, Inventory No. 18904A	76	1	OPEN
57	1	7" Wide x 92" Long Cleated Belt Puller, Inventory No. 18905A	77	1	OPEN
58	1	(Lot)(2) 5 HP Smoot Vacuum Conveyors, Inventory No. 20462A	78	1	OPEN
59	1	(Lot)(4) Receiver	79	1	OPEN
60	1	Telar Model E12 Vacuum Receiver	80	1	OPEN
61	1	(Lot) Receivers	500	1	10 HP Vacuum Pump - Roots 45 U-RAI Lobe Blower
62	1	(Lot)(6) Receiver	501	1	10 HP Conair Vacuum Pump- Roots 46 URAI-J Roots Blower
63	1	(Lot)(3) Vacuum Loaders , Novatech, Conair DB, Aec Autoloader SLC04	502	1	5 HP Vacuum Pump - Roots 45 U-RAI Lobe Blower
64	1	Lem Fume Hood	503	1	10 HP Vacuum Pump
65	1	Skid (4) Aec Vacuum Receivers	504	1	10 HP Conair Vacuum Pump- Roots 45 URAI-L Roots Blower (Blower New 2017)
66	1	Maguire WSB220-CF Blender	505	1	10 HP Conair Vacuum Pump - Sutobilt 4N-F Blower
67	1	Maguire WSB220-CF Blender, Inventory No. 19703a	506	1	10 HP Conair Vacuum Pump
68	1	Gaylord Box Of Vacuum Loading Tube w/ Metal Wands	507	1	7.5 HP Vacuum Pump - 45 U-RAI-J Blower
69	1	(Lot)(3) Maguire Blenders-Parts	508	1	10 HP Vacuum Pump - 45 URAI - L Blower (Blower New 2017)
70	1	Air Compressor Storage Tank	509	1	(Lot)(10) UnaDyn Dustmaster Filters, 20" Diameter, 40" High, On Stand
			510	1	Delete
			511	1	Delete
			512	1	Delete
			513	1	Delete
			514	1	Delete
			515	1	Delete
			516	1	Delete
			517	1	Delete
			518	1	Delete
			519	1	Delete
			520	1	Delete
			521	1	Delete
			522	1	Delete

Equipment Located at: Lake Zurich, Illinois

Auction Date: December 17, 2024

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

Lot	Qty.	Description	Lot	Qty.	Description
523	1	Delete	531	1	10 HP Vacuum Pump, Dresser Roots Blower
524	1	12" x 12" Granutec Model TFG1212 Granulator, 10 HP	532	1	7.5 HP Vacuum Pump, Sutorbilt 3L-F Roots Blower
525	1	10 HP Busch Model RA 0250 D 561 Vacuum Pump	533	1	Delete
526	1	Bunting Model HS 9100 Single Coil 100MM Metal Detector & Pneumatic Separator	534	1	Delete
527	1	(Lot)(2) EMI Conveyors, Models 6CLR-18 & 5CLR-24	535	1	48" x 48" Whitlock Surge Bin
528		AEC Model VH-200 Dust Collector	536	1	8" Diameter Rare Earth Bullet Magnet
529	1	5 HP Blower	537	1	Delete
530	1	12" x 18" Eriez Model 12X18 CC Ferrous Magnetic Drum Separator	538	1	Delete
			539	1	Delete
			540	1	Delete