

Equipment Located at: 7123 Market Place
Cincinnati, Ohio 45216

Auction Date: April 15, 2025

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

Lot	Qty.	Description	Lot	Qty.	Description
1	1	1/4 TON CM SHOPAIR PNEUMATIC CHAIN HOIST	25	1	7.5 HP QUINCY MODEL QSVB-7.5 SKID MOUNTED INDUSTRIAL VACUUM PUMP; S/N UN057366 (NEW 9-23-2005)
2	1	1/2 TON HARRINGTON MODEL ES3B-R15 ELECTRIC CHAIN HOIST	26	1	2015 - NANO MODEL NPC0118ULP3AXNF APPROX 10-TON PRECISION PROCESS CHILLER; S/N 2200264589, 1-1/2" NPT INLET AND OUTLET, 118,000 BTU/HR (NEW 2015) - Removed from a Stamping Operation 11/2024
3	1	1/2 TON DAYTON MODEL 3YB75H ELECTRIC CHAIN HOIST			
4	1	1/4 TON BUDGIT MODEL BEHC 2516 ELECTRIC CHAIN HOIST			
5	1	1/4 TON BUDGIT MODEL BEHC 2516 ELECTRIC CHAIN HOIST			
6	1	1/4 TON BUDGIT MODEL 2KF73 ELECTRIC CHAIN HOIST	27	1	2020 MIKROPOR AMERICA MODEL MHL-DWG-1000 DUAL TANK DESICCANT AIR DRYER; S/N 2220MHL00007, ACTWATED ALUMINA DESICCANT TYPE, 1,186 LB. DESICCANT QUANTITY, 100-240 VOLT, SINGLE PHASE (NEW 2020) - From rental fleet
7	1	2 TON CM LODESTAR MODEL R-2 ELECTRIC CHAIN HOIST			
8	1	1/4 TON COFFING MODEL C68 ELECTRIC CHAIN HOIST			
9	1	1/2 TON YALE MODEL BEH5032 ELECTRIC CHAIN HOIST			
10	1	22 LB. TO 44 LB. INGERSOLL RAND IRAX MODEL BHD-2G TOOL BALANCER	28	1	5 HP INGERSOLL RAND T30 MODEL 242-5N ROTARY SCREW TANK MOUNTED AIR COMPRESSOR; S/N 307693099
11	1	OPEN			
12	1	OPEN			
13	1	OPEN	29	1	30 HP LEROI MODEL W30SST TANK MOUNTED AIR COMPRESSOR; S/N 4240X361, 22,568.3 HOURS SHOWING 11-19-24
14	1	OPEN			
15	1	OPEN			
16	1	OPEN			
17	1	OPEN	30	1	2020 - DEKKER MODEL RML051T2-40-CS DUAL PUMP SATURATED AIR SERVICE ROTARY VANE VACUUM PUMP SYSTEM; S/N 34437 (NEW 2-2020)
18	1	OPEN			
19	1	OPEN			
20	1	15 HP BALDOR CAT NO. EM2333T USED SUPER E MOTOR, 230/460 VOLT, 3-PHASE	31	1	OPEN
21	1	2.6 KW / 3.4866 HP LEROY SOMER NEW ELECTRIC MOTOR	32	1	OPEN
22	1	AKG MFG. NO. 110452000 USED RADIATOR	33	1	OPEN
23	1	VAN AIR AFTERCOOLER MODEL AC-110-2; S/N VA422	34	1	OPEN
24	1	BRY-AIR MODEL MINIPAC 175 BRAND NEW DEHUMIDIFIER; S/N 2020E10846	35	1	OPEN
			36	1	OPEN
			37	1	OPEN
			38	1	OPEN
			39	1	OPEN

Equipment Located at: 7123 Market Place
Cincinnati, Ohio 45216

Auction Date: April 15, 2025

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

Lot	Qty.	Description	Lot	Qty.	Description
40	1	250 AMP MILLER MODEL BOBCAT 250 CC/CV AC/DC WELDER / 10,000 WATT GENERATOR WITH HEAVY DUTY STEEL CART WITH VISE, CORD REEL; S/N LF346701(1,004 HOURS SHOWING 11-19-24)	50	1	38 KVA TECNA MODEL 3327A PORTABLE SPOT WELDING GUN; S/N 01082 (NEW 2008), 440 VOLTS, SINGLE PHASE, 12" THROAT, 110 KVA MAX WELDING POWER
41	1	250 AMP MILLER MODEL MILLERMATIC 250 CV/DC ARC WELDING POWER SOURCE WITH BUILT IN WIRE FEEDER (CART NOT INCLUDED); S/N KD546275, WITH MILLER MIG GUN AND LEADS	51	1	53 KVA TECNA MODEL 3156 PORTABLE SPOT WELDING GUN; S/N 8266 (NEW 2006), 440 VOLTS, SINGLE PHASE, 28" THROAT, 147 KVA MAX WELDING POWER
42	1	500 AMP MILLER MODEL SYNCROWAVE 500 AC/DC GAS TUNGSTEN-ARC OR SHIELDED METAL ARC WELDING POWER SOURCE; S/N KA761684	52	1	53 KVA TECNA MODEL 3156 PORTABLE SPOT WELDING GUN; S/N 00302 (NEW 2006), 440 VOLTS, SINGLE PHASE, 28" THROAT, 147 KVA MAX WELDING POWER
43	1	350 AMP MILLER SYNCROWAVE 350 CONSTANT CURRENT AC/DC ARC/TIG WELDING POWER SOURCE; S/N KA766414, WITH MILLER RADIATOR 1 COOLING SYSTEM	53	1	100 KVA PROGRESSIVE SPOT WELDER; S/N 69J04
44	1	450 AMP MILLER MODEL DELTAWELD 452 CV/DC WELDING POWER SOURCE; S/N LH040203C	54	1	16" CLAUSING MODEL 1684 HEAVY DUTY CAST IRON TABLE MOUNTED DRILL; S/N 512707
45	1	450 AMP MILLER MODEL DELTAWELD 452 CV/DC WELDING POWER SOURCE; S/N LH200089C	55	1	RUSH MACHINERY MODEL 250A DRILL AND TOOL GRINDER / SHARPENER; S/N 1436 (NEW 11-1998), 6" SIX-JAW CHUCK, 7" DIAMOND WHEEL, SINGLE PHASE
46	1	250 AMP MILLER MODEL DIALARC 250 AC/DC CC/AC/DC ARC WELDING POWER SOURCE; S/N LG050223C, WITH STAND AND LEADS	56	1	18" POWERMATIC MODEL 87 VERTICAL TILT TABLE BANDSAW; S/N 5-5625, WITH POWERMATIC MODEL 600 BLADE WELDER; S/N 799183
47	1	180 AMP MILLER MODEL SYNCROWAVE 180SD CC/AC/DC SYCROWAVE TIG WELDING POWER SOURCE WITH LEADS; S/N LC087839	57	1	6 TON CAPACITY DENISON MODEL R065MC204FSD MULTI PRESS; S/N 20582, 2.75" CYL BORE, 10" STROKE, 16" DAYLIGHT, 6" THROAT, 5 HP MOTOR, 3 PHASE, 277/480 VOLTS
48	1	SKID MISCELLANEOUS WELDING SUPPLIES AND PARTS	58	1	9" X 20" JET MODEL BD-920N BELT DRIVE BENCH LATHE; S/N 0036493, 4" THREE-JAW CHUCK, 3/4" THRU-HOLE, SINGLE PHASE, 115/230 VOLTS
49	1	1/8" LINCORE SPEED-FEED DRUMS; S/N ED025131	59	1	BAUM MODEL D3 PAPER DRILL; S/N N/A, WITH (3) DROL HEADS, 5-DRILL HEAD MAX

Equipment Located at: 7123 Market Place
Cincinnati, Ohio 45216

Auction Date: April 15, 2025

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

Lot	Qty.	Description	Lot	Qty.	Description
60	1	48" NATIONAL MODEL U4812 HAND FINGER BRAKE; S/N 224-1202, 12 GAUGE CAP	71	1	3M-MATIC MODEL S-867 TYPE 10500 PORTABLE "L" CLIP TAPE APPLICATOR STATION WITH (2) TAPE HEADS; S/N 8517 AND 8515
61	1	12 TON CAPACITY SPX-OTC MANUAL HYDRAULIC H-FRAME PRESS; S/N 2312AD54854	72	1	3M-MATIC MODEL S-867 TYPE 10500 PORTABLE "L" CLIP TAPE APPLICATOR STATION WITH (2) TAPE HEADS; S/N 8489 AND 8483
62	1	5 TON (APPROX.) DAKE MANUAL HYDRAULIC H-FRAME PRESS; S/N N/A, WITH 10,000 PSI MANUAL HYDRAULIC PUMP	73	1	2019 QUANTRONIX MODEL CUBISCAN 150-T PORTABLE WEIGHT AND DIMENSIONS SCALE; S/N 19020032 (NEW 3-2019), 42" X 64" ROLLER BALL TABLE, 3.0"-48" LENGTH CAP, 2.4" - 39" WIDTH CAP, 2.4" - 40" HEIGHT CAP, 0-150 LB. WEIGHT CAP, DIGITAL READ OUT
63	1	16" DORSEY GAGE CO. MODEL 16H OPTICAL COMPARATOR; S/N 9601/364, SINGLE PHASE, 110 VOLT	74	1	2013 QUANTRONIX MODEL CS150-L PORTABLE WEIGHT AND DIMENSIONS SCALE; S/N QIL-07050309 (NEW 7-2013), 42" x 64" ROLLER BALL TABLE, 3.0-48" LENGTH CAP, 2.4" - 39" WIDTH CAP, 2.4"-40" HEIGHT CAP, 0.150 LB. WEIGHT CAP, DIGITAL READ OUT
64	1	13" MITUTOYO TYPE PH-350 OPTICAL COMPARATOR; S/N 1244, WITH MITUTOYO MODEL MLP-7701W TWO-AXIS DIGITAL READ OUT	75	1	30 KVA EATON MODEL CAT NO. V48M28T3016 DRY TYPE TRANSFORMER; S/N V30DA001 (NEW 10-10-2018)
65	1	3,500 PSI HOTSY MODEL BXA-373539 GAS POWERED PORTABLE PRESSURE WASHER; S/N 11071210-100119, WITH HONDA GX-390 ENGINE, CAT PUMPS WAND, Appears to be like new	75A	1	75 KVA EGS CAT NO. DT651H75S HEVI-DUTY SHEILD DRIVE ISOLATION TRANSFORMER; S/N N/A, 3-PHASE
66	1	10" DAYTON MODEL 4CY85A BENCH DRILL; S/N 2011-08	75B	1	75 KVA EGS CAT NO. ET79H75S HEVI-DUTY SHIELD DRIVE ISOLATION TRANSFORMER; S/N N/A, 3-PHASE
67	1	3M-MATIC MODEL 120AF TYPE 19600 SEMI-AUTOMATIC ADJUSTABLE PORTABLE CASE SEALER; S/N 6431, SINGLE PHASE, 115 VOLTS	75C	1	30 KVA JEFFERSON ELECTRIC CAT NO. 423-7197-000 DRY TYPE ENERGY EFFICIENT TRANSFORMER; S/N 0001, 3-PHASE
68	1	3M-MATIC MODEL 120A TYPE 19700 SEMI-AUTOMATIC ADJUSTABLE PORTABLE CASE SEALER; S/N 50795 (NEW 2007), SINGLE PHASE, 115 VOLTS	76	1	37 KVA GENERAL ELECTRIC SINGLE PHASE TRANSFORMER
69	1	3M-MATIC MODEL S-867 TYPE 10500 PORTABLE "L" CLIP TAPE APPLICATOR STATION WITH (2) TAPE HEADS; S/N 8490 AND 8486	76A	1	BIDDLE INSTRUMENTS CAT NO. 682983 ELECTRICAL TESTER; S/N 1843
70	1	3M-MATIC MODEL S-867 TYPE 10500 PORTABLE "L" CLIP TAPE APPLICATOR STATION WITH (2) TAPE HEADS; S/N 8478 AND 8474			

Equipment Located at: 7123 Market Place
Cincinnati, Ohio 45216

Auction Date: April 15, 2025

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

Lot	Qty.	Description	Lot	Qty.	Description
77	1	MECC-ALTE TYPE ECP34 2L4C THREE-PHASE FOUR-POLE BRUSHLESS ALTERNATOR; S/N V011925 (NEW 5-2020)	79C	1	FAIRFIELD MODEL S7A14473 TORQUE HUB; S/N F12AE000IUS
77A	1	MECC-ALTE TYPE ECP34-2L4C THREE-PHASE FOUR-POLE BRUSHLESS ALTERNATOR; S/N V023818 (NEW 10-2020)	80	1	SHARPE PACKAGING SYSTEMS MODEL MAX PORTABLE CONTINUOUS ROLL HEAT SEAL BAGGING SYSTEM; S/N MAX-03A-1080-8, 110-120 VOLTS, SINGLE PHASE
77B	1	150 HP MARATHON MODEL YVG405TSTDS16005ANW ELECTRIC MOTOR; S/N WAA132465 (NEW 7-2023), 3-PHASE, 460 VOLTS	81	1	GAMMAFLUX MODEL E91A SIX-ZONE TEMPERATURE CONTROLLER; S/N 0788-11167-05, 3-PHASE, 240 VOLTS
77C	1	37 KW / 49 HP ABB MODEL M3AA225SMA4 ELECTRIC MOTOR; S/N 3CV1311146318001	81A	1	NORDSON MODEL BX YESTECH AUTOMATED OPTICAL INSPECTION SYSTEM; S/N BX14011750 (NEW 1-2014), SINGLE PHASE, 110-240 VOLTS
78	1	60 HP MARATHON MODEL UNKNOWN ELECTRIC MOTOR; S/N 0919030-3/14-03	82	1	ITALIA SISTEMI TECNOLOGICI MODEL IST10 RESOLV-R2 SOLVENT CLEANER SYSTEM; S/N L089 (NEW 2011)
78A	1	42 KW /56 HP WEG TYPE 2255M4 ELECTRIC MOTOR; S/N 0513126001	83	2	STERLCO MODEL SMC-150A PORTABLE CHILLERS; S/N 99F0495 AND 99F0499, SINGLE PHASE, 230 VOLTS
78B	1	7.5 HP RELIANCE L213T DUT MASTER A-C MOTOR; S/N P21B420 AND 5 HP RELIANCE 254T DUTY MASTER AC MOTOR; S/N 1M0F12663-G1-YJ ELECTRIC MOTORS, BOTH 3-PHASE, 460 VOLTS	84	1	ARPAC MODEL PRO-4006-L SEMI-AUTOMATIC STRETCH WRAPPER; S/N 8128 (NEW 10-2006), 4,000 LB. CAPACITY, 20" FILM ROLLS, 60" WRAP HEIGHT APPROX., SINGLE PHASE, 120 VOLTS
79	1	30 HP RELIANCE ELECTRIC RL216C INVERTER DUTY MOTOR; S/N P21R249KC WITH GROVE GEAR MODEL SPBM2700-3 FLEX-A-LINE SPEED REDUCER; S/N 0192131204, 35 HP, INPUT HP	85	1	MECO DISASSEMBLED CANTILEVER RACK CONSISTING OF (10) 48" ARMS, (4) 106" BASES, (4) 135" HIGH UPRIGHTS AND (8) 67" LONG SUPPORT BEAMS WITH HARDWARE
79A	1	15 HP RELIANCE ELECTRIC MODEL L1852C RPM AC INVERTED DUTY MOTOR; S/N P18L0267A, WITH BOSTON SPEED REDUCER	86	1	NORDSON MELTEX HOT MELT GLUE SYSTEM; S/N LU99B20067 (NEW 1999)
79B	1	5 HP RELIANCE ELECTRIC MODEL VECTOR DUTY MASTER A-C ELECTRIC MOTOR; S/N P18A6104R, 3POHASE, 230/460 VOLTS	87	1	ESSEM TEC TYPE FLX2011-CV PICK AND PLACE SYSTEM; S/N 109548 (NEW 12/2010)
			88	1	ELEVEN-DRAWER VIDMAR CABINET, 27-1/2" X 30" X 59" HIGH CABINET SIZE
			88A	1	NINE-DRAWER VIDMAR TYPE CABINET, 27-1/2" X 30" X 59" HIGH CABINET SIZE

Equipment Located at: 7123 Market Place
Cincinnati, Ohio 45216

Auction Date: April 15, 2025

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

Lot	Qty.	Description	Lot	Qty.	Description
88B	1	EIGHT-DRAWER VIDMAR TYPE CABINET, 27-1/2" X 30" X 59" HIGH CABINET SIZE	99	1	****2016 Maren Model 720E-8-X-30R Auto-Tie Horizontal Hydraulic Cardboard Baler/Shredder System; s/n 05867 (New 11/2016), Open End, 8" Bore, 53" Stroke (47"ACT), 30-HP Motor, Fed w/ 60" Wide X 60-HP Pinch Shear Shredder, Dual Pull Rolls w/ 2-HP Each, Pneumatic Kogerair Model C-360 Blower, 18" Piping, Blower To Baler Mounted Cyclone, Dual Dust Collectors, Approx. Footprint Dimensions: Baler 35' x 120" W x 8' High, Shredder: 136" x 197" x 101"H, (2) Dust Collectors: 58" x 52" x 20' High - Located in Chicago Area, Illinois****
89	1	JUSTRITE MODEL 25995 FLAMMABLE LIQUID STORAGE CABINET			
89A	1	30 GALLON CAPACITY VWR ACID AND CORROSIVE SAFETY STORAGE CABINET			
90	1	BRANSON MODEL 8400 SERIES 800 ULTRA SONIC PLASTIC WELDER			
90A	1	12" WIDE BELT X 7' LONG TEC MODEL H-12-7 ADJUSTABLE HEIGHT POWER BELT CONVEYOR			
90B	1	TYPHOON MODEL WD16BATT WALK-BEHIND 24 VOLT ELECTRIC FLOOR SCRUBBER; S/N WD16B00010447DQ (NEEDS BATTERY CHARGER)	100	1	2018 TENNANT MODEL S30 LP GAS SWEEP MAX-D PLUS FLOOR SWEEPER; S/N S30-8943, 5,700 LB. GVW, 6,663 HOURS SHOWING ON 2-25-25 (NEW 2018)
90C	1	MFG UNKNOWN SLACK TUBE MANOMETER			
91	1	BINDER MODEL UNKNOWN ULTRA SONIC WELDER FABRIK-NR 11446/1 (NEW 2011)	101	1	2017 TENNANT MODEL T20 LP GAS SIT DOWN FLOOR SCRUBBER; S/N T20-9536, 3,280 LB. GVW, 3,023 HOURS SHOWING 2-25-25 (NEW 2017)
92	26	BOXES SQUARE D TYPE S 33859 TRANSPARENT COVERS			
93	45	BOXES (APPROX.) ARLINGTON CAT NO. 8416, 2-1/2" MCI CABLE CONNECTORS, (5) PIECES PER BOX	102	1	2011 TENNANT MODEL T20 LP GAS SIT DOWN FLOOR SCRUBBER; S/N T20-2680, 3,280 LB. GVW, 1,821 HOURS SHOWING 2-25-25 (NEW 2011)
94	1	OPEN			
95	1	AMP MODEL BG25-085-4C-60 2,500-AMP ELECTRICAL TERMINATION BOX - DETAILS COMING SOON	103	1	2010 TENNANT MODEL T7 ELECTRIC SIT DOWN FLOOR SCRUBBER; S/N T7-10488690, 24-VOLT, 1,485 LB. GVW, 358 HOURS SHOWING 2-25-25 **SPECIAL NOTICE - NEEDS BATTERY CHARGER**
95A	1	AMP MODEL BG25-085-4C-60 2,500-AMP ELECTRICAL TERMINATION BOX - DETAILS COMING SOON	104	1	TENNANT MODEL 5700 ELECTRIC WALK BEHIND FLOOR SCRUBBER; S/N 5700-22537, 36-VOLT, 1,520 LB. GVW, 394 HOURS SHOWING 2-25-25 WITH FAST FOAM SCRUBBING TECHNOLOGY
95B	1	AMP MODEL BGTS25-085-4C-30 2,500-AMP ELECTRICAL TERMINATION BOX - DETAILS COMING SOON			
96	1	OPEN			
97	1	OPEN			
98	1	OPEN			

Equipment Located at: 7123 Market Place
Cincinnati, Ohio 45216

Auction Date: April 15, 2025

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

Lot	Qty.	Description	Lot	Qty.	Description
105	1	AMERICAN-LINCOLN MODEL SC7740 LP GAS POWERED SIT DOWN FLOOR SCRUBBER; S/N 691083, STARTS BUT DOES NOT RUN, 2,962 HOURS SHOWING 2-25-25	113	1	E-Z-GO MODEL TXT FLEET ELECTRIC FOUR-PERSON GOLF CART; S/N 3137163, 48-VOLT KENDRA HOLE-IN-1 PNEUMATIC TIRES **SPECIAL NOTICE - (5) NEW BATTERIES INSTALLED 2-26-25 AND (1) BATTERY IS 8-2024**
106	1	GLOBAL MODEL 641752 CORDED ELECTRIC WALK BEHIND SCRUBBER / DRYER - For parts only	114	1	CLUB CAR SIX-PERSON ELECTRIC GOLF CART; S/N K0517-500127, 48-VOLT, WITH BATTERY CHARGER **SPECIAL NOTICE - NEW BATTERIES INSTALLED 2-2025**
107	1	GLOBAL MODEL 641752 CORDED ELECTRIC WALK BEHIND SCRUBBER / DRYER - For parts only	115	1	CLUB CAR MODEL CARRY ALL 550 2-PERSON ELECTRIC GOLF CART W/ ALUMINUM DUMP BED; S/N MM1535-580553, 48 VOLT, WITH BUILT IN BATTERY CHARGER, 46" X 48" X 10" DEEP ALUMINUM DUMP BED **SPECIAL NOTICE - NEW BATTERIES INSTALLED 8-2024**, 3,685 HOURS SHOWING 2-25-25
108	1	2012 JLG MODEL E450AJ ELECTRIC ARTICULATING BOOM LIFT; S/N 03001606 (NEW 2012), 45' MAX PLATFORM HEIGHT, 23' MAX HORIZONTAL REACH, 48-VOLT, 14,415 MACHINE WEIGHT, BUILT IN CHARGER, NON MARKING SOLID TIRES, 1,091 HOURS SHOWING 2-26-25	116	1	E-Z-GO MODEL TXT48 2-PERSON ELECTRIC GOLF CART W/ DUMP BED; S/N 2767657, 48 VOLT, WITH 28" X 42" X 8" DEEP STEEL BED **SPECIAL NOTICE - NEW BATTERIES INSTALLED 2-26-25 - NEED BATTERY CHARGER**
109	1	NEW HOLLAND MODEL LS150 DIESEL POWERED SKID STEER LOADER; S/N 150861, WITH BUCKET, 882.9 HOURS SHOWING 2-26-25	117	1	E-Z-GO MODEL J400 2-PERSON ELECTRIC GOLF CART W/ DUMP BED; S/N 1308029, 36 VOLT, WITH 28" X 42" X 8" DEEP STEEL BED **SPECIAL NOTICE - NEW BATTERIES INSTALLED 1-2023 - NEEDS BATTERY CHARGER**
110	1	2018 E-Z-GO MODEL TXT FLEET LIFTED ELECTRIC 2-PERSON GOLF CART W/ DUMP BED; S/N 3357130, DUMP BED, ROUGH TERRAIN PNEUMATIC TIRES, 48-VOLT **NEW BATTERIES INSTALLED 2-2025 - NO BATTERY CHARGER**	118	1	E-Z-GO MODEL TXTE 2-PERSON ELECTRIC GOLF CART W/ DUMP BED; S/N N/A, 36-VOLT, WITH 35" X 40" X 10" DEEP STEEL BED **SPECIAL NOTICE - (4) NEW BATTERIES INSTALLED 2-2023 AND (2) INSTALLED 2-2023 - NEEDS BATTERY CHARGER**
111	1	2012 E-Z-GO MODEL TXTE-48V LIFTED ELECTRIC 4-PERSON GOLF CART; S/N 2772917, 48-VOLT, ROUGH TERRAIN PNEUMATIC TIRES **NO BATTERY CHARGER**			
112	1	2010 E-Z-GO MODEL TXTE-48V LIFTED ELECTRIC 4-PERSON GOLF CART; S/N 2712681, 48-VOLT, ROUGH TERRAIN PNEUMATIC TIRES **NO BATTERY CHARGER**			

Equipment Located at: 7123 Market Place
Cincinnati, Ohio 45216

Auction Date: April 15, 2025

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

Lot	Qty.	Description	Lot	Qty.	Description
119	1	E-Z-GO MODEL TXT 2-PERSON ELECTRIC GOLF CART; S/N 2467798, 36-VOLT **SPECIAL NOTICE NEEDS BATTERY CHARGER**	124	1	2016 - 6,000 LB. HYSTER MODEL S60FT FORTIS LP GAS CUSHION TIRE FORKLIFT; S/N H187V06197P, 6,702 HOURS SHOWING, 181" MAX LIFT HEIGHT, 3-STAGE MAST, 84" MAST HEIGHT, SIDE SHIFT, 42" FORKS, FINGER TIP CONTROLS, 10,240 LB. TRUCK WEIGHT - LP Tank not included - From Leasing Company
120	1	2016 - 6,000 LB. HYSTER MODEL H60FT LP GAS PNEUMATIC TIRE ENCLOSED CAB FORKLIFT; S/N P177V06391P, 213 HOURS SHOWING, 3-STAGE MAST, 181.9" MAX LIFT HEIGHT, 86" MAST HEIGHT, SIDE SHIFT, FINGER TIP CONTROLS, 42" FORKS, TRUCK WEIGHT 10,430 LB., LP Tank not included - From Leasing Company	125	1	2016 - 6,000 LB. HYSTER MODEL S60FT FORTIS LP GAS CUSHION TIRE FORKLIFT; S/N H187V06172P, 9,210 HOURS SHOWING, 181" MAX LIFT HEIGHT, 3-STAGE MAST, 84" MAST HEIGHT, SIDE SHIFT, 42" FORKS, FINGER TIP CONTROLS, 10,240 LB. TRUCK WEIGHT - LP Tank not included - From Leasing Company
121	1	2016 - 6,000 LB. HYSTER MODEL H60FT LP GAS PNEUMATIC TIRE ENCLOSED CAB FORKLIFT; S/N P177V06395P, 1,565 HOURS SHOWING, 3-STAGE MAST, 181.9" MAX LIFT HEIGHT, 86" MAST HEIGHT, SIDE SHIFT, FINGER TIP CONTROLS, 42" FORKS, TRUCK WEIGHT 10,430 LB., LP Tank not included - From Leasing Company	126	1	12,000 LB. HYSTER MODEL S120XMS LP GAS CUSHION TIRE FORKLIFT; S/N E004V03173A, 4,813 HOURS, 208" MAX LIFT HEIGHT, 3-STAGE MAST, 100" MAST HEIGHT, 60" FORKS, 20,710 TRUCK WEIGHT, LP Tank not included - From Leasing Company **HAS NO BRAKES**
122	1	2016 - 6,000 LB. HYSTER MODEL H60FT LP GAS PNEUMATIC TIRE ENCLOSED CAB FORKLIFT; S/N P177V06385P, 2,632 HOURS SHOWING, 3-STAGE MAST, 181.9" MAX LIFT HEIGHT, 86" MAST HEIGHT, SIDE SHIFT, FINGER TIP CONTROLS, 42" FORKS, TRUCK WEIGHT 10,430 LB., LP Tank not included - From Leasing Company	127	1	8,000 LB. HYSTER MODEL H80XM LP GAS PNEUMATIC TIRE FORKLIFT; S/N K005D05484Y, 2,206 HOURS, 186" MAX LIFT HEIGHT, 3-STAGE MAST, 89" MAST HEIGHT, 60" FORKS, 14,400 LB. TRUCK WEIGHT LP Tank not included - From Leasing Company
123	1	2016 - 6,000 LB. HYSTER MODEL S60FT LP GAS CUSHION TIRE FORKLIFT; S/N F187V12029F, 1,692 HOURS, 181" MAX LIFT HEIGHT, 3-STAGE MAST, 84" MAST HEIGHT, SIDE SHIFT, 42" FORKS, FINGERTIP CONTROLS, 10,240 LB. TRUCK WEIGHT, LP Tank not included - From Leasing Company	128	1	2021 - 4,000 LB. TOYOTA MODEL 8FBCU20-COMP SIT-DOWN ELECTRIC FORKLIFT; S/N 88527, 5,786 HOURS SHOWING, 36 VOLT, 84" 3-STAGE MAST, 189" LIFT HEIGHT, 48" FORKS, SIDE SHIFT

Equipment Located at: 7123 Market Place
Cincinnati, Ohio 45216

Auction Date: April 15, 2025

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

Lot	Qty.	Description	Lot	Qty.	Description
129	1	2021 - 4,000 LB. TOYOTA MODEL 8FBCU20-COMP SIT-DOWN ELECTRIC FORKLIFT; S/N 88433, 6,002 HOURS, 36 VOLT, 84" 3-STAGE MAST, 189" LIFT HEIGHT, 48" FORKS, SIDE SHIFT	135	1	2019 - 5,000 LB. RAYMOND MODEL 425-C50TT STAND-UP ELECTRIC FORKLIFT; S/N 425-19-61755, 36 VOLT BATTERY NEW 2023, 188" MAX LIFT HEIGHT, 84" MAST HEIGHT, 42" FORKS, SIDE SHIFT, 6,728 HOURS SHOWING 2-26-25 (NEW 2019)
130	1	3,000 LB. TOYOTA MODEL 8FBCU15 SIT-DOWN ELECTRIC FORKLIFT; S/N 61563, 30,918 HOURS, 36 VOLT, 84" THREE-STAGE MAST, 189" LIFT HEIGHT **SPECIAL NOTICE - BOX CLAMP BEING SOLD SEPARATE**	136	1	2022 - 4,000 LB. RAYMOND MODEL 425-C40TT STAND-UP ELECTRIC FORKLIFT; S/N 425-22-77237, NO FORKS / SETUP FOR CLAMP (SOLD SEPARATE), 36 VOLT, 203" MAX LIFT HEIGHT, 89" MAST HEIGHT, SIDE SHIFT, 903 HOURS SHOWING 2-26-25 (NEW 2022)
131	1	RIDGELINE MODEL CL35H-10-3A-AP CARTON CLAMP; S/N 164346, 3,500 LB. CAPACITY, 1,500 LB. CLAMP WEIGHT	137	1	2021 - 4,000 LB. RAYMOND MODEL 425-C40TT STAND-UP ELECTRIC FORKLIFT; S/N 425-21-71916, 36 VOLT BATTERY NEW 2023, 203" MAX LIFT HEIGHT, 89" MAST HEIGHT, SIDE SHIFT, 42" FORKS, 2,450 HOURS SHOWING 2-26-25 (NEW 2021)
132	1	2022 - 5,000 LB. RAYMOND MODEL 425-C50TT STAND-UP ELECTRIC FORKLIFT; S/N 425-22-77233, NO FORKS / SETUP FOR CLAMP (SOLD SEPARATE), 36 VOLT, 203" MAX LIFT HEIGHT, 89" MAST HEIGHT, SIDE SHIFT, 16 HOURS SHOWING 2-26-25 (NEW 2022)	138	1	2021 - 4,000 LB. RAYMOND MODEL 425-C40TT STAND-UP ELECTRIC FORKLIFT; S/N 425-21-72258, NO FORKS / SETUP FOR CLAMP (SOLD SEPARATE), 36 VOLT BATTERY NEW 2023, 203" MAX LIFT HEIGHT, 89" MAST HEIGHT, SIDE SHIFT, 3,039 HOURS SHOWING 2-26-25 (NEW 2021)
133	1	2021 - 5,000 LB. RAYMOND MODEL 425-C50TT STAND-UP ELECTRIC FORKLIFT; S/N 425-21-72278, NO FORKS / SETUP FOR CLAMP (SOLD SEPARATE), 36 VOLT, 203" MAX LIFT HEIGHT, 89" MAST HEIGHT, SIDE SHIFT, 2,731 HOURS SHOWING 2-26-25 (NEW 2021)	139	1	2021 - 4,000 LB. RAYMOND MODEL 425-C40TT STAND-UP ELECTRIC FORKLIFT; S/N 425-21-71913 36 VOLT BATTERY NEW 2023, 203" MAX LIFT HEIGHT, 88" MAST HEIGHT, SIDE SHIFT, 42" FORKS, 3,515 HOURS SHOWING 2-26-25 (NEW 2021)
134	1	2019 - 5,000 LB. RAYMOND MODEL 425-C50TT STAND-UP ELECTRIC FORKLIFT; S/N 425-19-61769, 36 VOLT, 188" MAX LIFT HEIGHT, 84" MAST HEIGHT, SIDE SHIFT, 42" FORKS, 2,248 HOURS SHOWING 2-26-25 (NEW 2019)			

Equipment Located at: 7123 Market Place
Cincinnati, Ohio 45216

Auction Date: April 15, 2025

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

Lot	Qty.	Description	Lot	Qty.	Description
140	1	2022 - 3,500 LB. RAYMOND MODEL 425-C35TT STAND-UP ELECTRIC FORKLIFT; S/N 425-22-77751, 36 VOLT BATTERY, 188" MAX LIFT HEIGHT, 84" MAST HEIGHT, SIDE SHIFT, 42" FORKS, 1,843 HOURS SHOWING 2-27-25 (NEW 2022)	144B	1	2017 - 4,500 Lb. Mitsubishi Model ESR23N2 Electric Reach Truck; s/n 82823954, 36-Volt, 3-Stage Mast, 198" Lift Height, 90" Mast Height, 54" Forks, Side Shift, Battery Charger, 4,320 Hours
141	1	2022 - 3,500 LB. RAYMOND MODEL 425-C35TT STAND-UP ELECTRIC FORKLIFT; S/N 425-22-77759, NO FORKS / SETUP FOR CLAMP (SOLD SEPARATE), 36 VOLT, 188" MAX LIFT HEIGHT, 84" MAST HEIGHT, SIDE SHIFT, 2,843 HOURS SHOWING 2-27-25 (NEW 2022)	144C	1	2018 - YALE MODEL ERP030VT OR ERP035VT SIT-DOWN THREE-WHEEL ELECTRIC FORKLIFT; DETAILS COMING SOON
142	1	2019 - 3,500 LB. RAYMOND MODEL 425-C35TT STAND-UP ELECTRIC FORKLIFT; S/N 425-19-62363, 36 VOLT BATTERY NEW 2023, 188" MAX LIFT HEIGHT, 84" MAST HEIGHT, SIDE SHIFT, 42" FORKS, 6,136 HOURS SHOWING 2-27-25 (NEW 2019)	144D	1	2018 - YALE MODEL ERP030VT OR ERP035VT SIT-DOWN THREE-WHEEL ELECTRIC FORKLIFT; DETAILS COMING SOON
143	1	2019 - 3,500 LB. RAYMOND MODEL 425-C35TT STAND-UP ELECTRIC FORKLIFT; S/N 425-19-62439, 36 VOLT BATTERY NEW 2023, 188" MAX LIFT HEIGHT, 84" MAST HEIGHT, SIDE SHIFT, 42" FORKS, 6,711 HOURS SHOWING 2-27-25 (NEW 2019)	144E	1	2018 - YALE MODEL ERP030VT OR ERP035VT SIT-DOWN THREE-WHEEL ELECTRIC FORKLIFT; DETAILS COMING SOON
144	1	OPEN	144F	1	2018 - YALE MODEL ERP030VT OR ERP035VT SIT-DOWN THREE-WHEEL ELECTRIC FORKLIFT; DETAILS COMING SOON
144A	1	2017 - 4,500 Lb. Mitsubishi Model ESR23N2 Electric Reach Truck; s/n 82823953, 36-Volt, 3-Stage Mast, 198" Lift Height, 90" Mast Height, 54" Forks, Side Shift, Battery Charger, 4,320 Hours	144G	1	2018 - YALE MODEL ERP030VT OR ERP035VT SIT-DOWN THREE-WHEEL ELECTRIC FORKLIFT; DETAILS COMING SOON
			145	1	2,500 LB. CASCADE MODEL 25D-CCB-160 CARTON CLAMP; S/N PTL502511-1, 1,460 LB. CLAMP WEIGHT
			146	1	2,500 LB. CASCADE MODEL 25D-CCB-160 CARTON CLAMP; S/N PTC502261-2, 1,460 LB. CLAMP WEIGHT
			147	1	2,500 LB. CASCADE MODEL 25D-CCS-35Q CARTON CLAMP; S/N PTL1195846-1R4, 1,404 LB. CLAMP WEIGHT
			148	1	2,500 LB. CASCADE MODEL 25D-CCB-160 CARTON CLAMP; S/N PTL502531-1, 1,460 LB. CLAMP WEIGHT
			149	1	2,500 LB. CASCADE MODEL 25D-CCS-35Q CARTON CLAMP; S/N PTL1204632-7R4, 1,404 LB. CLAMP WEIGHT

Equipment Located at: 7123 Market Place
Cincinnati, Ohio 45216

Auction Date: April 15, 2025

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

Lot	Qty.	Description	Lot	Qty.	Description
150	1	2,500 LB. CASCADE MODEL 25D35065 FORKLIFT ROTATING CARTON CLAMP ATTACHMENT; S/N PTL1821487-1R0, 2,038 LB. CLAMP WEIGHT	161	1	RELIANCE MODEL SG-720 48 VOLT GOLF CART BATTERY CHARGER
151	1	2,500 LB. CASCADE MODEL 25D35065 FORKLIFT ROTATING CARTON CLAMP ATTACHMENT; S/N N/A, 2,038 LB. CLAMP WEIGHT	162	1	36 VOLT HAWKER MODEL TP3-18-200 POWER TECH HIGH-FREQUENCY INTELLICHARGER; S/N LE142335, 3-PHASE, 480 VOLTS
152	1	2,640 LB. CASCADE MODEL 14J-CCS-2A-0074 FORKLIFT CARTON CLAMP; S/N PTL2857704-1R4 (NEW 7-2022), 1,401 LB. CLAMP WEIGHT	163	1	36 VOLT HAWKER MODEL PT3-18-200 POWERTECH HIGH-FREQUENCY INTELLICHARGER; S/N JG86624, 3-PHASE, 480 VOLTS
153	1	2,500 LB. CASCADE MDOEL 25D-CCS-3.5AR2 FORKLIFT CARTON CLAMP; S/N PTL638729-1R2, 1,455 LB. CLAMP WEIGHT	164	1	36 VOLT HAWKER MODEL PT3-18-200 POWERTECH HIGH-FREQUENCY INTELLICHARGER; S/N JG86604, 3-PHASE, 480 VOLTS
154	1	2,500 LB. CASCADE MDOEL 25D-CCS-35ARI FORKLIFT CARTON CLAMP; S/N 369548-1R1, 1,400 LB. CLAMP WEIGHT APROX.	165	1	36 VOLT AMETEK MODEL 1200EC3F-18SP ECLIPSE II STAND MOUNTED BATTERY CHARGER; S/N 122GU-10252, 3-PHASE, 480 VOLTS
155	1	2,500 LB. CASCADE MODEL 25D-CCS-35ARI FORKLIFT CARTON CLAMP; S/N 368804-2R1, 1,400 LB. CLAMP WIGHT APPROX.	166	1	36 VOLT AMETEK MODEL 1200EC3F-18SP ECLIPSE II STAND MOUNTED BATTERY CHARGER; S/N 122GU-10249, 3-PHASE, 480 VOLTS
156	1	2,500 LB. CASCADE MODEL 25-CCS-350 FORKLIFT CARTON CLAMP; S/N PTL1011106-2R4, 1,400 LB. CLAMP WEIGHT APPROX.	167	1	36 VOLT GNB MODEL FLX20018965T1H STAND MOUNTED BATTERY CHARGER; S/N 04E2592E, 3-PHASE, 208/240/480 VOLTS
157	1	2,500 LB. CASCADE MDOEL 25D-CCB-160 FORKLIFT CARTON CLAMP; S/N PTL502511-2, 1,400 LB. CLAMP WIGHT APPROX.	168	1	HAWKER MODEL TPOM3-48C-180Y 24/36/48 VOLT BATTERY CHARGER; S/N OC301710, 3-PHASE, 480 VOLTS
158	1	3,500 LB. CASCADE MODEL 35E-QPB-Q002R-2 FORKLIFT PUSH / PULL ATTACHMENT; S/N 369434-1, 740 LB. ATTACHMENT WEIGHT	169	1	HAWKER MODEL PTOM3-48C-180Y 24/36/48 VOLT BATTERY CHARGER; S/N NJ224493, 3-PHASE, 480 VOLTS
159	1	LESTER MODEL SUMMITT II 36/48 VOLT GOLF CART BATTERY CHARGER	170	1	24 VOLT GENERAL BATTERY MODEL SC1-12-550 BATTERY CHARGER; S/N DH125994, SINGLE PHASE, 208/240/480 VOLTS
160	1	E-Z-GO MODEL DELTA-Q SC-48 48 VOLT GOLF CART BATTERY CHARGER	171	1	MTC MODEL ABP-405D-49M-36 MAGNETIC 36-VOLT PORTABLE BATTERY CHARGER; S/N 183811000, WITH PENDANT

Equipment Located at: 7123 Market Place
Cincinnati, Ohio 45216

Auction Date: April 15, 2025

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.