

Equipment Located at: 1160 Clipper Road
Sumter, South Carolina 29154

Auction Date: May 21, 2025

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

Lot	Qty.	Description	Lot	Qty.	Description
1	5	MTC HD CABLE BALANCERS, 1.5M TRAVEL	19	1	6" ROCKWELL MODEL 31-520 BELT SANDER; S/N HS2651
2	5	MTC HD CABLE BALANCERS, 1.5M TRAVEL	20	1	LINCOLN MODEL PRO-CUT 60 PLASMA CUTTER
3	5	MTC HD CABLE BALANCERS, 1.5M TRAVEL	21	1	200 AMP MILLER MODEL CP-200 WELDER; S/N KG195784
4	5	MTC HD CABLE BALANCERS, 1.5M TRAVEL	22	1	300 AMP MILLER MODEL 330A/BP WELDER; S/N 72-630362
5	5	MTC HD CABLE BALANCERS, 1.5M TRAVEL	23	1	250 AMP LINCOLN MODEL IDEALARC 250 WELDER; S/N 188123
6	5	MTC HD CABLE BALANCERS, 1.5M TRAVEL	24	1	6" X 18" MANUFACTURER UNKNOWN MANUAL GRINDER
7	5	MTC HD CABLE BALANCERS, 1.5M TRAVEL	25	1	9" X 16" DOALL MODEL C-916M HORIZONTAL BAND SAW; S/N 501-95816
8	5	MTC HD CABLE BALANCERS, 1.5M TRAVEL	26	1	18" JET MODEL VBS-18MM METAL / WOOD VERTICAL BAND SAW; S/N 16030663
9	3	MTC HD CABLE BALANCERS, 1.5M TRAVEL	27	1	16" DELTA MODEL RT-40 TABLE SAW; S/N N/A, 7-1/2 HP
9A	1	144" X 48" HD STEEL WELDING TABLE WITH 6" BENCH VISE	28	1	WEGOMA MODEL AK255 DOUBLE MITRE SAW; S/N 83148 (NO SAWS)
10	1	5,000 LB. VESTIL MODEL EPT-2748-45 WALK BEHIND ELECTRIC PALLET TRUCK; S/N 073121	29	1	DE GRINDER
11	1	3 TON DAYTON MODEL 1UH14J ARBOR PRESS	30	1	DAYTON DE GRINDER
12	1	20 TON CENTRAL MACHINERY H-FRAME HYDRAULIC PRESS	31	1	14" DELTA CAT NO. 28-203 VERTICAL BAND SAW; S/N 93C99862
13	1	20 TON TOOL MASTER H-FRAME HYDRAULIC PRESS	32	1	14" JET MODEL J-820IK METAL / WOOD VERTICAL BAND SAW; S/N 16090604
14	1	20" JET MODEL J-2223VS VARIABLE SPEED DRILL PRESS; S/N 16091966	33	1	24" PEXTO MODEL PX24-A MANUAL BRAKE PRESS; S/N 6172
15	1	20" JET MODEL J-2223VS VARIABLE SPEED DRILL PRESS; S/N 16091968	34	1	1 HP BRIDGEPORT 8-SPEED VERTICAL MILL; S/N 64511, 36" X 9" TABLE, SPINDLE SPEED 80-2,720 RPM
16	1	20" JET MODEL JDP-20VS-3 VARIABLE SPEED DRILL PRESS; S/N 20030422	35	1	6" MACHINE VISE
17	1	15" POWERMATIC MODEL 11504 VARIABLE SPEED DRILL PRESS; S/N 8915S288	36	1	50 HP KAESER MODEL BSD-50 AIR COMPRESSOR; S/N 2139, See photos for hours
18	1	16" CLAUSING MODEL 1642 VARIABLE SPEED DRILL PRESS; S/N 125406	37	1	15 HP KAESER MODEL AIRCENTER SK-15 AIR COMPRESSOR AND BUILT IN DRYER; S/N 1660

Equipment Located at: 1160 Clipper Road
Sumter, South Carolina 29154

Auction Date: May 21, 2025

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

Lot	Qty.	Description	Lot	Qty.	Description
38	1	KAESER MODEL SECOTEC TE122 REFRIGERATED AIR DRYER	58	1	QUANTRONIX MODEL CS150-L CUBISCAN PORTABLE DIMENSION AND SCALE SYSTEM; S/N 07050351 (2014)
39	45	42" X 144" TEAR DROP TYPE UPRIGHTS	59	1	QUANTRONIX MODEL CS150-L CUBISCAN PORTABLE DIMENSION AND SCALE SYSTEM; S/N 07050352 (2014)
40	150	96" TEAR DROP TYPE CROSSBEAMS	59A	1	SMIPACK MODEL BP1102 SHRINK WRAPPER; S/N 70933, 38" WIDE X 20" HIGH OVEN ENTRANCE DIMENSIONS, DRO (2019)
41	48	46" X 43" WIRE DECKS	60	1	2018 TENNANT MODEL SWEEPMAX PLUS S30 PROPANE RIDE-ON FLOOR SCRUBBER; S/N S30-9082, 2,822 HOURS
42	48	46" X 43" WIRE DECKS	61	1	2019 TENNANT MODEL T20 PROPANE RIDE-ON FLOOR SCRUBBER; S/N T20-10635, BACK UP CAMERA
43	40	46" X 43" WIRE DECKS	62	1	2021 TENNANT MODEL M17 ELECTRIC RIDE ON FLOOR SCRUBBER; S/N M17-11109, BACKUP CAMERA, 5,590 HOURS, 36 VOLT
44	48	46" X 43" WIRE DECKS	63	1	2019 TENNANT MODEL M17 ELECTRIC RIDE ON FLOOR SCRUBBER; S/N M17-12426, BACKUP CAMERA, 714 HOURS, 36 VOLT
45	1	2,000 AMP EATON G.O. NO.SBH0334127 POW-R-LINE SWITCHBOARD ELECTRICAL CABINET WITH EATON MAGNUM SBS620 CIRCUIT BREAKER AND DIGITRIP 520MC TRIP UNIT	64	1	EZ-GO MODEL TITAN 36 FLAT BED ELECTRIC MAINTENANCE CART; S/N N/A, 42" X 74" FLAT BED, BUILT IN CHARGER
46	1	4,000 LB. VESTIL MODEL PM4-2796 LONG FORK PALLET TRUCK, 96" FORKS	65	1	EZ-GO MODEL INDUSTRIAL 875P1 ELECTRIC 4-PERSON MAINTENANCE CART; S/N 1386711, 44" X 40" FLAT BED, 36 VOLT, BUILT IN CHARGER
47	1	4,000 LB. VESTIL MODEL PM4-2796 LONG FORK PALLET TRUCK, 96" FORKS	66	1	EZ-GO MODEL B203 ELECTRIC GOLF CART; S/N 1577328
48	1	4,000 LB. VESTIL MODEL PM4-2796 LONG FORK PALLET TRUCK, 96" FORKS	67	1	EZ-GO RXV ELECTRIC GOLF CART
49	1	4,000 LB. VESTIL MODEL PM4-2796 LONG FORK PALLET TRUCK, 96" FORKS	68	1	48" X 60" X 44" DEEP PORTABLE STEEL HOPPER
50	1	3,300 LB. ULINE MODEL H-1365 PALLET TRUCK			
51	1	5,500 LB. ULINE PALLET TRUCK			
52	1	5,500 LB. RAYMOND MODEL RJ50N PALLET TRUCK			
53	1	5' ULINE 6-STEP PORTABLE SHOP LADDER			
54	1	5' ULINE 6-STEP PORTABLE SHOP LADDER			
55	1	5' ULINE 6-STEP PORTABLE SHOP LADDER			
56	1	5' ULINE 6-STEP PORTABLE SHOP LADDER			
57	1	32" ULINE 3-STEP PORTABLE SHOP LADDER			

Equipment Located at: 1160 Clipper Road
Sumter, South Carolina 29154

Auction Date: May 21, 2025

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

Lot	Qty.	Description	Lot	Qty.	Description
69	1	48" X 60" X 44" DEEP PORTABLE STEEL HOPPER	83	1	2021 - 5,000 LB. CROWN MODEL C-51000-50 SOLID TIRE LP GAS FORKLIFT; S/N 10292251, 89" 4-STAGE MAST, 258" LIFT HEIGHT, 42" FORKS, 9,409 HOURS
70	1	48" X 60" X 44" DEEP PORTABLE STEEL HOPPER	84	1	2019 - 5,000 LB. CROWN MODEL C-51000-50 SOLID TIRE LP GAS FORKLIFT; S/N 10168729, 89" 4-STAGE MAST, 258" LIFT HEIGHT, NO FORKS, 15,070 HOURS - ENGINE WILL NOT TURN OVER
71	1	48" X 60" X 44" DEEP PORTABLE STEEL HOPPER			
72	1	48" X 60" X 44" DEEP PORTABLE STEEL HOPPER			
73	1	48" X 60" X 44" DEEP PORTABLE STEEL HOPPER			
74	1	48" X 60" X 44" DEEP PORTABLE STEEL HOPPER	85	1	2019 - 5,000 LB. CROWN MODEL C-51000-50 SOLID TIRE LP GAS FORKLIFT; S/N 10168721, 89" 4-STAGE MAST, 258" LIFT HEIGHT, 42" FORKS, 15,424 HOURS
74A	2	SKIDS 24" WIDE ROACH ELECTRIC CONVEYOR			
75	1	2012 - JLG MODEL E450AJ ELECTRIC BOOM LIFT; S/N 0300164135, 1,448 HOURS, 45' MAX PLATFORM HEIGHT, 23.8' MAX HORIZONTAL REACH, 500 LB. MAX CAPACITY, 48 VOLT	86	1	2019 - 5,000 LB. CROWN MODEL C-51000-50 SOLID TIRE LP GAS FORKLIFT; S/N 10168725, 89" 4-STAGE MAST, 258" LIFT HEIGHT, NO FORKS, 15,515 HOURS - ENGINE WILL NOT TURN OVER
76	1	OPEN			
77	1	OPEN			
78	1	OPEN	87	1	2019 - 5,000 LB. CROWN MODEL C-51000-50 SOLID TIRE LP GAS FORKLIFT; S/N 10120049, 89" 4-STAGE MAST, 258" LIFT HEIGHT, NO FORKS, 16,148 HOURS
79	1	OPEN			
80	1	2022 - 5,000 LB. CROWN MODEL C-51000-50 SOLID TIRE LP GAS FORKLIFT; S/N 10477770, 89" 4-STAGE MAST, 258" LIFT HEIGHT, 42" FORKS, 7,283 HOURS	88	1	2019 - 5,000 LB. CROWN MODEL C-51000-50 SOLID TIRE LP GAS FORKLIFT; S/N 10168728, 89" 4-STAGE MAST, 258" LIFT HEIGHT, NO FORKS, FUEL REGULATOR ISSUE 16,286 HOURS
81	1	2021 - 5,000 LB. CROWN MODEL C-51000-50 SOLID TIRE LP GAS FORKLIFT; S/N 10292825, 89" 4-STAGE MAST, 258" LIFT HEIGHT, 42" FORKS, 8,883 HOURS			
82	1	2018 - 5,000 LB. CROWN MODEL C-51000-50 SOLID TIRE LP GAS FORKLIFT; S/N 10119106, 89" 4-STAGE MAST, 258" LIFT HEIGHT, 42" FORKS, 9,214 HOURS	89	1	2019 - 5,000 LB. CROWN MODEL C-51000-50 SOLID TIRE LP GAS FORKLIFT; S/N 10168726, 89" 4-STAGE MAST, 258" LIFT HEIGHT, NO FORKS, 16,584 HOURS

Equipment Located at: 1160 Clipper Road
Sumter, South Carolina 29154

Auction Date: May 21, 2025

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

Lot	Qty.	Description	Lot	Qty.	Description
90	1	2014 - 5,000 LB. YALE MODEL GLP050VXNVAE084 SOLID PNEUMATIC LP GAS FORKLIFT; S/N C875V02941M, 89" 3-STAGE MAST, 189" LIFT HEIGHT, 54" FORKS, SIDE SHIFT, 7,964 HOURS	95	1	2019 - 3,500 LB. YALE MODEL ERP035VTN36TE084 ELECTRIC 3- WHEEL FORKLIFT; S/N G807N13208T, SOLID PNEUMATIC TIRE, 83" 3-STAGE MAST, 193" LIFT HEIGHT, 36 VOLT, SIDE SHIFT, 48" FORKS, (3) FRONT AND (4) REAR LIGHT FIXTURES, 6,671 HOURS
91	1	2019 - 3,500 LB. YALE MODEL ERP035VTN36TE084 ELECTRIC 3- WHEEL FORKLIFT; S/N G807N12882T, SOLID PNEUMATIC TIRE, 83" 3-STAGE MAST, 193" LIFT HEIGHT, 36 VOLT, SIDE SHIFT, 48" FORKS, (3) FRONT AND (4) REAR LIGHT FIXTURES, 4,400 HOURS	96	1	2019 - 3,500 LB. YALE MODEL ERP035VTN36TE084 ELECTRIC 3- WHEEL FORKLIFT; S/N G807N12887T, SOLID PNEUMATIC TIRE, 83" 3-STAGE MAST, 193" LIFT HEIGHT, 36 VOLT, SIDE SHIFT, 48" FORKS, (3) FRONT AND (4) REAR LIGHT FIXTURES, 6,766 HOURS
92	1	2019 - 3,500 LB. YALE MODEL ERP035VTN36TE084 ELECTRIC 3- WHEEL FORKLIFT; S/N G807N12883T, SOLID PNEUMATIC TIRE, 83" 3-STAGE MAST, 193" LIFT HEIGHT, 36 VOLT, SIDE SHIFT, 48" FORKS, (3) FRONT AND (4) REAR LIGHT FIXTURES, 4,797 HOURS	97	1	2019 - 3,500 LB. YALE MODEL ERP035VTN36TE084 ELECTRIC 3- WHEEL FORKLIFT; S/N G807N13220T, SOLID PNEUMATIC TIRE, 83" 3-STAGE MAST, 193" LIFT HEIGHT, 36 VOLT, SIDE SHIFT, 48" FORKS, (3) FRONT AND (4) REAR LIGHT FIXTURES, 6,742 HOURS
93	1	2019 - 3,500 LB. YALE MODEL ERP035VTN36TE084 ELECTRIC 3- WHEEL FORKLIFT; S/N G807N1288IT, SOLID PNEUMATIC TIRE, 83" 3-STAGE MAST, 193" LIFT HEIGHT, 36 VOLT, SIDE SHIFT, 48" FORKS, (3) FRONT AND (4) REAR LIGHT FIXTURES, 5,092 HOURS	98	1	2019 - 3,500 LB. YALE MODEL ERP035VTN36TE084 ELECTRIC 3- WHEEL FORKLIFT; S/N G807N12879T, SOLID PNEUMATIC TIRE, 83" 3-STAGE MAST, 193" LIFT HEIGHT, 36 VOLT, SIDE SHIFT, 48" FORKS, (3) FRONT AND (4) REAR LIGHT FIXTURES, 7,310 HOURS
94	1	2019 - 3,500 LB. YALE MODEL ERP035VTN36TE084 ELECTRIC 3- WHEEL FORKLIFT; S/N G807N13041T, SOLID PNEUMATIC TIRE, 83" 3-STAGE MAST, 193" LIFT HEIGHT, 36 VOLT, SIDE SHIFT, 48" FORKS, (3) FRONT AND (4) REAR LIGHT FIXTURES, 5,947 HOURS	99	1	2019 - 3,500 LB. YALE MODEL ERP035VTN36TE084 ELECTRIC 3- WHEEL FORKLIFT; S/N G807N13219T, SOLID PNEUMATIC TIRE, 83" 3-STAGE MAST, 193" LIFT HEIGHT, 36 VOLT, SIDE SHIFT, 48" FORKS, (3) FRONT AND (4) REAR LIGHT FIXTURES, 7,444 HOURS

Equipment Located at: 1160 Clipper Road
Sumter, South Carolina 29154

Auction Date: May 21, 2025

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

Lot	Qty.	Description	Lot	Qty.	Description
100	1	2019 - 3,500 LB. YALE MODEL ERP035VTN36TE084 ELECTRIC 3- WHEEL FORKLIFT; S/N G807N13159T, SOLID PNEUMATIC TIRE, 83" 3-STAGE MAST, 193" LIFT HEIGHT, 36 VOLT, SIDE SHIFT, 48" FORKS, (3) FRONT AND (4) REAR LIGHT FIXTURES, 7,528 HOURS	105	1	2019 - 3,500 LB. YALE MODEL ERP035VTN36TE084 ELECTRIC 3- WHEEL FORKLIFT; S/N G807N13144T, SOLID PNEUMATIC TIRE, 83" 3-STAGE MAST, 193" LIFT HEIGHT, 36 VOLT, SIDE SHIFT, 48" FORKS, (3) FRONT AND (4) REAR LIGHT FIXTURES, 8,353 HOURS
101	1	2019 - 3,500 LB. YALE MODEL ERP035VTN36TE084 ELECTRIC 3- WHEEL FORKLIFT; S/N G807N13155T, SOLID PNEUMATIC TIRE, 83" 3-STAGE MAST, 193" LIFT HEIGHT, 36 VOLT, SIDE SHIFT, 48" FORKS, (3) FRONT AND (4) REAR LIGHT FIXTURES, 7,943 HOURS	106	1	2019 - 3,500 LB. YALE MODEL ERP035VTN36TE084 ELECTRIC 3- WHEEL FORKLIFT; S/N G807N13099T, SOLID PNEUMATIC TIRE, 83" 3-STAGE MAST, 193" LIFT HEIGHT, 36 VOLT, SIDE SHIFT, 48" FORKS, (3) FRONT AND (4) REAR LIGHT FIXTURES, 8,380 HOURS
102	1	2019 - 3,500 LB. YALE MODEL ERP035VTN36TE084 ELECTRIC 3- WHEEL FORKLIFT; S/N G807N13108T, SOLID PNEUMATIC TIRE, 83" 3-STAGE MAST, 193" LIFT HEIGHT, 36 VOLT, SIDE SHIFT, 48" FORKS, (3) FRONT AND (4) REAR LIGHT FIXTURES, 7,979 HOURS	107	1	2019 - 3,500 LB. YALE MODEL ERP035VTN36TE084 ELECTRIC 3- WHEEL FORKLIFT; S/N G807N13216T, SOLID PNEUMATIC TIRE, 83" 3-STAGE MAST, 193" LIFT HEIGHT, 36 VOLT, SIDE SHIFT, 48" FORKS, (3) FRONT AND (4) REAR LIGHT FIXTURES, 8,851 HOURS
103	1	2019 - 3,500 LB. YALE MODEL ERP035VTN36TE084 ELECTRIC 3- WHEEL FORKLIFT; S/N G807N13216T, SOLID PNEUMATIC TIRE, 83" 3-STAGE MAST, 193" LIFT HEIGHT, 36 VOLT, SIDE SHIFT, 48" FORKS, (3) FRONT AND (4) REAR LIGHT FIXTURES, 8,290 HOURS	108	1	2019 - 3,500 LB. YALE MODEL ERP035VTN36TE084 ELECTRIC 3- WHEEL FORKLIFT; S/N G807N12884T, SOLID PNEUMATIC TIRE, 83" 3-STAGE MAST, 193" LIFT HEIGHT, 36 VOLT, SIDE SHIFT, 48" FORKS, (3) FRONT AND (4) REAR LIGHT FIXTURES, 8,925 HOURS
104	1	2019 - 3,500 LB. YALE MODEL ERP035VTN36TE084 ELECTRIC 3- WHEEL FORKLIFT; S/N G807N1277, SOLID PNEUMATIC TIRE, 83" 3-STAGE MAST, 193" LIFT HEIGHT, 36 VOLT, SIDE SHIFT, 48" FORKS, (3) FRONT AND (4) REAR LIGHT FIXTURES, 8,316 HOURS	109	1	2019 - 3,500 LB. YALE MODEL ERP035VTN36TE084 ELECTRIC 3- WHEEL FORKLIFT; S/N G807N13143T, SOLID PNEUMATIC TIRE, 83" 3-STAGE MAST, 193" LIFT HEIGHT, 36 VOLT, SIDE SHIFT, 48" FORKS, (3) FRONT AND (4) REAR LIGHT FIXTURES, 9,186 HOURS

Equipment Located at: 1160 Clipper Road
Sumter, South Carolina 29154

Auction Date: May 21, 2025

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

Lot	Qty.	Description
110	1	2019 - 3,500 LB. YALE MODEL ERP035VTN36TE084 ELECTRIC 3-WHEEL FORKLIFT; S/N G807N13235T, SOLID PNEUMATIC TIRE, 83" 3-STAGE MAST, 193" LIFT HEIGHT, 36 VOLT, SIDE SHIFT, 48" FORKS, (3) FRONT AND (4) REAR LIGHT FIXTURES, 9,950 HOURS
111	1	2019 - 3,500 LB. YALE MODEL ERP035VTN36TE084 ELECTRIC 3-WHEEL FORKLIFT; S/N G807N12885T, SOLID PNEUMATIC TIRE, 83" 3-STAGE MAST, 193" LIFT HEIGHT, 36 VOLT, SIDE SHIFT, 48" FORKS, (3) FRONT AND (4) REAR LIGHT FIXTURES, 9,474 HOURS
112	1	2019 - 3,500 LB. YALE MODEL ERP035VTN36TE084 ELECTRIC 3-WHEEL FORKLIFT; S/N G807N13125T, SOLID PNEUMATIC TIRE, 83" 3-STAGE MAST, 193" LIFT HEIGHT, 36 VOLT, SIDE SHIFT, 48" FORKS, (3) FRONT AND (4) REAR LIGHT FIXTURES, 9,491 HOURS
113	1	2019 - 3,500 LB. YALE MODEL ERP035VTN36TE084 ELECTRIC 3-WHEEL FORKLIFT; S/N G807N13191T, SOLID PNEUMATIC TIRE, 83" 3-STAGE MAST, 193" LIFT HEIGHT, 36 VOLT, SIDE SHIFT, 48" FORKS, (3) FRONT AND (4) REAR LIGHT FIXTURES, 9,734 HOURS
114	1	2019 - 3,500 LB. YALE MODEL ERP035VTN36TE084 ELECTRIC 3-WHEEL FORKLIFT; S/N G807N13126T, SOLID PNEUMATIC TIRE, 83" 3-STAGE MAST, 193" LIFT HEIGHT, 36 VOLT, SIDE SHIFT, 48" FORKS, (3) FRONT AND (4) REAR LIGHT FIXTURES, 9,957 HOURS

Lot	Qty.	Description
115	1	2019 - 3,500 LB. YALE MODEL ERP035VTN36TE084 ELECTRIC 3-WHEEL FORKLIFT; S/N G807N12886T, SOLID PNEUMATIC TIRE, 83" 3-STAGE MAST, 193" LIFT HEIGHT, 36 VOLT, SIDE SHIFT, 48" FORKS, (3) FRONT AND (4) REAR LIGHT FIXTURES, 9,957 HOURS
116	1	2019 - 3,500 LB. YALE MODEL ERP035VTN36TE084 ELECTRIC 3-WHEEL FORKLIFT; S/N G807N13207T, SOLID PNEUMATIC TIRE, 83" 3-STAGE MAST, 193" LIFT HEIGHT, 36 VOLT, SIDE SHIFT, 48" FORKS, (3) FRONT AND (4) REAR LIGHT FIXTURES, 10,757 HOURS
117	1	2019 - 3,500 LB. YALE MODEL ERP035VTN36TE084 ELECTRIC 3-WHEEL FORKLIFT; S/N G807N13124T, SOLID PNEUMATIC TIRE, 83" 3-STAGE MAST, 193" LIFT HEIGHT, 36 VOLT, SIDE SHIFT, 48" FORKS, (3) FRONT AND (4) REAR LIGHT FIXTURES, 11,016 HOURS
118	1	2021 - 4,000 LB. RAYMOND MODEL 425-C40TTSTAND-UP ELECTRIC FORKLIFT; S/N 425-21-71909, 88" 3-STAGE MAST, 251" LIFT HEIGHT, 42" FORKS, IWAREHOUSE MONITOR, 36 VOLT (2021)
119	1	2021 - 4,000 LB. RAYMOND MODEL 425-C40TTSTAND-UP ELECTRIC FORKLIFT; S/N 425-21-71904, 88" 3-STAGE MAST, 251" LIFT HEIGHT, 42" FORKS, IWAREHOUSE MONITOR, 36 VOLT (2021)

Equipment Located at: 1160 Clipper Road
Sumter, South Carolina 29154

Auction Date: May 21, 2025

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

Lot	Qty.	Description	Lot	Qty.	Description
120	1	2021 - 4,000 LB. RAYMOND MODEL 425-C40TTSTAND-UP ELECTRIC FORKLIFT; S/N 425-21-71898, 88" 3-STAGE MAST, 251" LIFT HEIGHT, 42" FORKS, IWAREHOUSE MONITOR, 36 VOLT (2021)	127	1	2016 - 4,000 LB. RAYMOND MODEL 425-C40TTSTAND-UP ELECTRIC FORKLIFT; S/N 425-16-48937, 88" 3-STAGE MAST, 251" LIFT HEIGHT, NO FORKS, IWAREHOUSE MONITOR, 36 VOLT (2016)
121	1	2021 - 4,000 LB. RAYMOND MODEL 425-C40TTSTAND-UP ELECTRIC FORKLIFT; S/N 425-21-72066, 88" 3-STAGE MAST, 251" LIFT HEIGHT, NO FORKS, IWAREHOUSE MONITOR, 36 VOLT (2021)	128	1	CASCADE MODEL 25D-CCS-350 CLAMP ATTACHMENT; S/N PTL1299322-IR4, 2,500 LB. CAPACITY
122	1	CASCADE MODEL 35E-QPB-Q002 PUSH-PULL ATTACHMENT; S/N PTL2674825-IR5	129	1	2016 - 4,000 LB. RAYMOND MODEL 425-C40TTSTAND-UP ELECTRIC FORKLIFT; S/N 425-16-48942, 88" 3-STAGE MAST, 251" LIFT HEIGHT, 42" FORKS, IWAREHOUSE MONITOR, 36 VOLT - NO BATTERY (2016)
123	1	2019 - 4,000 LB. RAYMOND MODEL 425-C40TTSTAND-UP ELECTRIC FORKLIFT; S/N 425-19-62417, 88" 3-STAGE MAST, 251" LIFT HEIGHT, 42" FORKS, IWAREHOUSE MONITOR, 36 VOLT, WITH ZEBRA SCAN SYSTEM (2019)	130	1	2012 - 4,000 LB. RAYMOND MODEL 425-C40TTSTAND-UP ELECTRIC FORKLIFT; S/N 425-12-34703, 88" 3-STAGE MAST, 251" LIFT HEIGHT, NO FORKS, IWAREHOUSE MONITOR, 36 VOLT - NO BATTERY (2012)
124	1	2019 - 4,000 LB. RAYMOND MODEL 425-C40TTSTAND-UP ELECTRIC FORKLIFT; S/N 425-19-62379, 88" 3-STAGE MAST, 251" LIFT HEIGHT, 42" FORKS, IWAREHOUSE MONITOR, 36 VOLT (2019)	131	1	CASCADE MODEL 25D-CCS-35QR4 CLAMP ATTACHMENT; S/N BTL910637-2R4, 2,500 LB. CAPACITY
125	1	CASCADE MODEL 25D-CCS-350 CLAMP ATTACHMENT; S/N PTL1299434-IR4, 2,500 LB. CAPACITY	132	1	2012 - 4,000 LB. RAYMOND MODEL 425-C40TTSTAND-UP ELECTRIC FORKLIFT; S/N 425-12-34704, 88" 3-STAGE MAST, 251" LIFT HEIGHT, 42" FORKS, IWAREHOUSE MONITOR, 36 VOLT - NO BATTERY (2012)
126	1	2016 - 4,000 LB. RAYMOND MODEL 425-C40TTSTAND-UP ELECTRIC FORKLIFT; S/N 425-16-48948, 88" 3-STAGE MAST, 251" LIFT HEIGHT, 42" FORKS, IWAREHOUSE MONITOR, 36 VOLT (2016)	133	1	2011 - 4,000 LB. RAYMOND MODEL 425-C40TTSTAND-UP ELECTRIC FORKLIFT; S/N 425-11-31759, 88" 3-STAGE MAST, 251" LIFT HEIGHT, 42" FORKS, IWAREHOUSE MONITOR, 36 VOLT - NO BATTERY (2011)
			134	1	CASCADE MODEL 35E-QPR-Q002R2 PUSH-PULL ATTACHMENT; S/N PTL638725-2R2

Equipment Located at: 1160 Clipper Road
Sumter, South Carolina 29154

Auction Date: May 21, 2025

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

Lot	Qty.	Description	Lot	Qty.	Description
135	1	2019 - 4,000 LB. RAYMOND MODEL 425-C40TTSTAND-UP ELECTRIC FORKLIFT; S/N 4425-19-62352, 88" 3-STAGE MAST, 251" LIFT HEIGHT, 42" FORKS, IWAREHOUSE MONITOR, 36 VOLT - NO BATTERY (2019)	145A	1	2014 - 2,200 LB. MITSUBISHI MODEL EOP11NZ ELECTRIC ORDER PICKER; S/N FN475876, 236" MAX HEIGHT, 24" REACH, Forklift has been in storage for approx. 18 months, will need work to run
136	1	CASCADE MODEL 35E-QB-Q002 PUSH-PULL ATTACHMENT; S/N 35E-QB-168-03446P	146	1	24/36 /48 VOLT HAWKER MODEL LPM3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RVG00258080
137	1	CASCADE MODEL 25D-CCS-35AR-1 CLAMP ATTACHMENT; S/N 345632-1, 2,500 LB. CAPACITY	147	1	24/36 /48 VOLT HAWKER MODEL LPM3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RVF00247993
138	1	CASCADE MODEL 25D-CCS-35QR4 CLAMP ATTACHMENT; S/N PTL910637-5R4, 2,500 LB. CAPACITY	148	1	24/36 /48 VOLT HAWKER MODEL LPM3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RV100286924
139	1	CASCADE MODEL 25D-CCS-35QR4 CLAMP ATTACHMENT; S/N N/A, 2,500 LB. CAPACITY	149	1	24/36 /48 VOLT HAWKER MODEL LPM3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RVF00247982
140	1	CASCADE MODEL 25D-CCS-145 CLAMP ATTACHMENT; S/N 272139-1, 2,500 LB. CAPACITY	150	1	24/36 /48 VOLT HAWKER MODEL LPM3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RWE00380263
141	1	CASCADE MODEL 25D-CCS-160 CLAMP ATTACHMENT; S/N PTL502522-1, 2,500 LB. CAPACITY	151	1	24/36 /48 VOLT HAWKER MODEL LPM3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RWE00380269
142	1	CASCADE MODEL 25D-CCS-35Q CLAMP ATTACHMENT; S/N PLT1299434-2R4, 2,500 LB. CAPACITY	152	1	24/36 /48 VOLT HAWKER MODEL LPM3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RWE00380272
143	1	CASCADE MODEL 25D-CCS-35QR4 CLAMP ATTACHMENT; S/N PTL910637-1R4, 2,500 LB. CAPACITY	153	1	24/36 /48 VOLT HAWKER MODEL LPM3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RVF00247977
144	1	CASCADE MODEL 25D-CCS-35QR4 CLAMP ATTACHMENT; S/N PTL910637-4R4, 2,500 LB. CAPACITY			
145	1	CASCADE MODEL 25D-CCS-35Q0 CLAMP ATTACHMENT; S/N 139695-01, 2,500 LB. CAPACITY			

Equipment Located at: 1160 Clipper Road
Sumter, South Carolina 29154

Auction Date: May 21, 2025

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

Lot	Qty.	Description	Lot	Qty.	Description
154	1	24/36 /48 VOLT HAWKER MODEL LPM3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RVG00258083	164	1	24/36 /48 VOLT HAWKER MODEL LPM3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RVF00247973
155	1	24/36 /48 VOLT HAWKER MODEL LPM3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RVG00258079	165	1	24/36 /48 VOLT HAWKER MODEL LPM3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RVG00258073
156	1	24/36 /48 VOLT HAWKER MODEL LPM3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RVG00258067	166	1	24/36 /48 VOLT HAWKER MODEL LPM3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RWE00380264
157	1	24/36 /48 VOLT HAWKER MODEL LPM3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RWE00380271	167	1	24/36 /48 VOLT HAWKER MODEL LPM3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RWE00380270
158	1	24/36 /48 VOLT HAWKER MODEL LPM3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RWE0038267	168	1	24/36 /48 VOLT HAWKER MODEL LPM3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RVG00258082
159	1	24/36 /48 VOLT HAWKER MODEL LPM3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RWE00380266	169	1	24/36 /48 VOLT HAWKER MODEL LPM3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RVF00247998
160	1	24/36 /48 VOLT HAWKER MODEL LPM3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RVF00247980	170	1	24/36 /48 VOLT HAWKER MODEL LPM3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RVF00247978
161	1	24/36 /48 VOLT HAWKER MODEL LPM3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RWE00380273	171	1	24/36 /48 VOLT HAWKER MODEL LPM3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RV100286925
162	1	24/36 /48 VOLT HAWKER MODEL LPM3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RVG00256076	172	1	24/36 /48 VOLT HAWKER MODEL LPM3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RVF00247995
163	1	24/36 /48 VOLT HAWKER MODEL LPM3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RWE00360280	173	1	24/36 /48 VOLT HAWKER MODEL LPM3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RVF00248000

Equipment Located at: 1160 Clipper Road
Sumter, South Carolina 29154

Auction Date: May 21, 2025

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

Lot	Qty.	Description	Lot	Qty.	Description
174	1	24/36 /48 VOLT HAWKER MODEL LPM3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RVF00247990	186	1	24/36 /48 VOLT HAWKER MODEL LP3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RX100572818
175	1	24/36 /48 VOLT HAWKER MODEL LPM3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RVF00247994	187	1	24/36 /48 VOLT HAWKER MODEL LP3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RX100572822
176	1	24/36 /48 VOLT HAWKER MODEL LPM3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RVG00262823	188	1	24/36 /48 VOLT HAWKER MODEL LP3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RX100572817
177	1	24/36 /48 VOLT HAWKER MODEL LP3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RX100572820	189	1	24/36 /48 VOLT HAWKER MODEL LP3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RX100572823
178	1	24/36 /48 VOLT HAWKER MODEL LP3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RX100572132	190	1	24/36 /48 VOLT HAWKER MODEL LP3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RX100572800
179	1	24/36 /48 VOLT HAWKER MODEL LP3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RX100572819	191	1	24/36 /48 VOLT HAWKER MODEL LP3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RX100572824
180	1	24/36 /48 VOLT HAWKER MODEL LP3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RX100572793	192	1	24/36 /48 VOLT HAWKER MODEL LP3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RX100572827
181	1	24/36 /48 VOLT HAWKER MODEL LP3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RX100572795	193	1	24/36 /48 VOLT HAWKER MODEL LP3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RX100572126
182	1	24/36 /48 VOLT HAWKER MODEL LP3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RX100572136	194	1	24/36 /48 VOLT HAWKER MODEL LP3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RX100572081
183	1	24/36 /48 VOLT HAWKER MODEL LP3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RX100572796	195	1	24/36 /48 VOLT HAWKER MODEL LP3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RX100572125
184	1	24/36 /48 VOLT HAWKER MODEL LP3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RX100572794	196	1	24/36 /48 VOLT HAWKER MODEL LP3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RX100572084
185	1	24/36 /48 VOLT HAWKER MODEL LP3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RX000572792	197	1	24/36 /48 VOLT HAWKER MODEL LP3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RX100572078
			198	1	24/36 /48 VOLT HAWKER MODEL LP3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RX100572135

Equipment Located at: 1160 Clipper Road
Sumter, South Carolina 29154

Auction Date: May 21, 2025

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

Lot	Qty.	Description	Lot	Qty.	Description
199	1	24/36 /48 VOLT HAWKER MODEL LP3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RX100572813	212	1	24/36/48 VOLT ENERSYS MODEL N1P3-JP-4Y MULTIVOLT BATTERY CHARGER; S/N RW100425831
200	1	24/36 /48 VOLT HAWKER MODEL LP3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RX100572080	213	1	24/36/48 VOLT ENERSYS MODEL N1P3-JP-4Y MULTIVOLT BATTERY CHARGER; S/N RW100425830
201	1	24/36 /48 VOLT HAWKER MODEL LP3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RX100572066	214	1	24/36/48 VOLT ENERSYS MODEL N1P3-JP-4Y MULTIVOLT BATTERY CHARGER; S/N RW100425829
202	1	24/36 /48 VOLT HAWKER MODEL LP3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RX100572810	215	1	24/36/48 VOLT ENERSYS MODEL N1P3-JP-4Y MULTIVOLT BATTERY CHARGER; S/N RW100425841
203	1	24/36 /48 VOLT HAWKER MODEL LP3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RX100572804	216	1	24/36/48 VOLT ENERSYS MODEL N1P3-JP-4Y MULTIVOLT BATTERY CHARGER; S/N RW100425845
204	1	24/36 /48 VOLT HAWKER MODEL LP3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RX100572077	217	1	24/36/48 VOLT ENERSYS MODEL N1P3-JP-4Y MULTIVOLT BATTERY CHARGER; S/N RW100425839
205	1	24/36 /48 VOLT HAWKER MODEL LP3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RX100572797	218	1	24/36/48 VOLT ENERSYS MODEL N1P3-JP-4Y MULTIVOLT BATTERY CHARGER; S/N RW100425827
206	1	24/36 /48 VOLT HAWKER MODEL LP3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RX100572814	219	1	24/36/48 VOLT ENERSYS MODEL N1P3-IN-4Y MULTIVOLT BATTERY CHARGER; S/N RTC00012820
207	1	24/36 /48 VOLT HAWKER MODEL LP3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RX100572127	220	1	24/36/48 VOLT ENERSYS MODEL N1P3-IN-4Y MULTIVOLT BATTERY CHARGER; S/N RVE00239937
208	1	24/36 /48 VOLT HAWKER MODEL LP3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RX100572134	221	1	24/36/48 VOLT ENERSYS MODEL N1P3-IN-4Y MULTIVOLT BATTERY CHARGER; S/N RWB00348432
209	1	24/36 /48 VOLT HAWKER MODEL LP3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RX100572085	222	1	24/36/42 VOLT HAWKER MODEL PTOM3-48C-180Y MULTIVOLT BATTERY CHARGER; S/N QD321511
210	1	24/36 /48 VOLT HAWKER MODEL LP3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RX100572805	223	1	24/36/42 VOLT HAWKER MODEL PTOM3-48C-180Y MULTIVOLT BATTERY CHARGER; S/N PF313838
211	1	24/36 /48 VOLT HAWKER MODEL LP3-48F-240Y MULTI VOLT BATTERY CHARGER; S/N RX100572821	224	1	36 VOLT GNB MODEL GTC11180865T1 FERROCHARGER BATTERY CHARGER; S/N AA822100025

Equipment Located at: 1160 Clipper Road
Sumter, South Carolina 29154

Auction Date: May 21, 2025

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

Lot	Qty.	Description	Lot	Qty.	Description
225	1	36 VOLT HAWKER MODEL PT3-18-200 POWER TECH BATTERY CHARGER; S/N 1D61938	228	1	36 VOLT HAWKER MODEL PT3-18-200 POWER TECH BATTERY CHARGER; S/N 1D61898
226	1	36 VOLT HAWKER MODEL PT3-18-200 POWER TECH BATTERY CHARGER; S/N MF177759	229	1	24 VOLT HAWKER MODEL PT3-12-145 POWER TECH BATTERY CHARGER; S/N MF177716
227	1	36 VOLT HAWKER MODEL PT3-18-200 POWER TECH BATTERY CHARGER; S/N MF177739	230	3	SETS 42" RAYMOND FORKS
			231	3	SETS 42" RAYMOND FORKS
			232	1	SACKETT BATTERY STORAGE RACK