

Equipment Located at: 2681 East River Road
Moraine, Ohio 45439

Auction Date: June 3, 2025

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

| Lot | Qty. | Description | Lot | Qty. | Description |
|-----|------|---|-----|------|--|
| 1 | 1 | BUEHLER CAT NO. 1600-8000 MICROMET II DIGITAL MICRO HARNESS TESTER; S/N B-D58179 | 18 | 1 | BUEHLER MODEL 20.1395.115 PNEUMET II MOUNTING PRESS; S/N 408PNN2.540 |
| 2 | 1 | (LOT) BUEHLER HARDNESS TESTER SAMPLE CABINET WITH SAMPLES | 19 | 1 | BUEHLER MODEL 20.1395.115 PNEUMET II MOUNTING PRESS; S/N 399PNN2359 - OUT OF SERVICE |
| 3 | 1 | BUEHLER CAT NO. 1600-8000 MICROMET II DIGITAL MICRO HARNESS TESTER; S/N B-D58207 | 20 | 1 | BUEHLER SUPERMET 3-GRINDER COUNTER TOP-TYPE GRINDER SYSTEM - HIGH BID CONFIRMATION REQUIRED |
| 4 | 1 | 6-DRAWER BUEHLER HARDNESS TESTER SAMPLE CABINET WITH SAMPLES | 21 | 1 | LECO MODEL DS-20 HAND GRINDER |
| 5 | 1 | NIKON MODEL UFX-1 PHOTO EXPOSURE MICROSCOPE WITH NIKON FA 35MM CAMERA AND CONTROLLER | 22 | 1 | BUEHLER CAT NO. 67-1635-160 VIBROMET 2 VIBRATORY POLISHER; S/N 427-V2P-144 |
| 6 | 1 | POLAROID MODEL MP4 LAND CAMERA STAND WITH LIGHTS | 23 | 1 | 120,000 LB. SOUTHWARK-EMERY HARDNESS TESTER; S/N 34210, 33" BETWEEN CENTERS, ADMET X AND Y-AXIS DRO, AND HARDWARE |
| 7 | 1 | KODAK CAROUSEL 4400 PROJECTOR | 24 | 1 | BARNSTEAD / THERMLYME MODEL F48025 OVEN; S/N 714921028497, 2,000 MAX TEMP, 6" X 6" X 10" INTERIOR |
| 8 | 1 | (LOT) BUEHLER HARDWARE | 25 | 1 | 20,000 LB. SATEC MODEL JE 20,000 LB. CREEP TEST TENSILE TESTER; S/N JE-2195-M, WITH WEIGHTS AND HARDWARE |
| 9 | 1 | (LOT) NIKON EPIPHOT METALLOGRAPH CONTROLLER AND HITACHI MODEL KP-C100GU SOLID STATE COLOR CAMERA | 26 | 1 | OPEN |
| 10 | 1 | (LOT) MISCELLANEOUS INSPECTION GAGES | 27 | 1 | 25,000 LB. ATS MODEL 1620 HARDNESS TESTER; S/N A941683-2- 95, WITH ATS PUSH BUTTON CONTROL AND HARDWARE |
| 11 | 1 | 4" BUEHLER MODEL 16-1255AB SURFMET GRINDER | 28 | 1 | 9 KVA STACO MODEL PLC- 24WCSD009 AUTOMATIC VOLTAGE REGULATOR |
| 12 | 1 | 6" BUEHLER ISOMET LOW SPEED SAW | 29 | 1 | APPLIED RESEARCH LABORATORIES MODEL 3410 ICP METAL SPECTROMETER; S/N 1102 |
| 13 | 1 | BUEHLER CAT NO. 1800-2000 MACROMET II HARDNESS TESTER; S/N 1721M | 30 | 1 | APPLIED RESEARCH LABORATORIES MODEL 3460 METAL OPTICAL EMISSIONS SPECTROMETER; S/N 3460-277 |
| 14 | 1 | BUEHLER CAT NO. 1800-2000 MACROMET II HARDNESS TESTER; S/N T-710 | | | |
| 15 | 1 | PROCEQ MODEL EQUO-TIP HARDNESS TESTER | | | |
| 16 | 1 | (LOT) HARDNESS STANDARDS | | | |
| 17 | 1 | (LOT) MTS EXTENSOMETERS AND MINITEST 3000 MICROPROCESSOR THICKNESS GAGE | | | |

Equipment Located at: 2681 East River Road
Moraine, Ohio 45439

Auction Date: June 3, 2025

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

| Lot | Qty. | Description | Lot | Qty. | Description |
|-----|------|--|-----|------|--|
| 31 | 1 | 6-DRAWER CABINET WITH SPECTROMETER SAMPLES | 53 | 1 | PRECISION MODEL STG40 GRAVITY CONVECTION OVEN; S/N 24RX-10, 14" X 13" INTERIOR |
| 32 | 1 | LECO MODEL EC12 CARBON DETERMINATOR ANALYZER; S/N 609 | 54 | 1 | FISHER SCIENTIFIC MODEL 506G INCUBATING OVEN; S/N 00700206, 11" X 11" X 10" INTERIOR |
| 33 | 1 | MILWAUKEE CAT NO. 6230 PORTABLE ELECTRIC BAND SAW | 55 | 1 | (LOT) OPSCO D-612T DC POWER SUPPLY AND BRANSON 3200 ULTRASONIC CLEANER |
| 34 | 1 | (LOT) MISCELLANEOUS TOOLS | 56 | 1 | CONTENTS OF OFFICE - NO COMPUTERS |
| 35 | 1 | (LOT) REGULATORS | 56A | | ****TO BASEMENT**** |
| 36 | 1 | 40" PORTABLE 4-STEP SHOP LADDER | 57 | 1 | 14" LECO MODEL CM-24 CUT-OFF MACHINE WITH TOOLING |
| 37 | 1 | FISHER SCIENTIFIC MODEL A-160 DIGITAL LAB SCALE | 58 | 1 | 78" X 48" X 42" HARSHAW / FILTROL HYDRAULIC TOP SALT BATH SOLUTION TANK WITH CONTROL D1 WATER, SALT WATER, SALT SOLUTION TANKS |
| 38 | 1 | X-RITE MODEL 301 TRANSMISSION DENSITOMETER; S/N 013635 | 59 | 1 | CONTENTS OF SHELF |
| 39 | 1 | PANAMETRICS MODEL EPOCH2002 ULTRASONIC FLAW DETECTOR | 60 | 1 | 72" X 35" X 32" FLUORESCENT DYE PENETRANT SYSTEM, 30" WIDE X 22" HIGH INTAKE, RINSE SINK, DRYING TABLE |
| 40 | 1 | ZETEC MODEL MIZ-20A EDDY CURRENT INSTRUMENT | 61 | 1 | 24" X 18" X 20" DIP TANK AND TABLE |
| 41 | 1 | PANAMETRICS MODEL 26 ULTRASONIC THICKNESS GAGE | 62 | 1 | 54" X 50" STEEL BENCH |
| 42 | 1 | PANAMETRICS MODEL 22DLHR ULTRASONIC THICKNESS GAGE | 63 | 1 | 48" X 36" X 12" HYDRAULIC CLEANING TANK |
| 43 | 1 | (LOT) MISCELLANEOUS TEST EQUIPMENT | 64 | 1 | MAGNAFLUX MODEL MAG KIT MAGNETIC PARTICLE INSPECTION EQUIPMENT; S/N 95367, WITH (2) CONTOUR PROBES |
| 44 | 1 | FISHER SCIENTIFIC MODEL 2008 ELECTRONIC STIRRER | 65 | 1 | MAGNAFLUX MODEL SB-911-T INDUSTRIAL DEMAGNETIZER; S/N 65596 |
| 45 | 1 | ELECTRONIC HOT TANK | 66 | 1 | MAGNAFLUX MODEL MD-1030S MULTI-DIRECTIONAL MAGNETIC BENCH; S/N 608700, WITH 13" WIDE X 11" CONVEYOR, CONTROL |
| 46 | 1 | BARNSTEAD EASYPURE RF COMPACT ULTRAPURE WATER SYSTEM | | | |
| 47 | 1 | TSI MODEL ATS-20B-QB CURRENT TIMER METER; S/N 2906195 | | | |
| 48 | 4 | FISHER SCIENTIFIC AND THEROLYNE ELECTRONIC STIRRERS | | | |
| 49 | 1 | HANNA EDGE DIGITAL PH METER | | | |
| 50 | 1 | FISHER SCIENTIFIC MODEL 510 PH/10N METER | | | |
| 51 | 1 | FISHER SCIENTIFIC MODEL ACCUMET 925 PH/10N METER | | | |
| 52 | 1 | SPECTROLINE ACCUMAX MODEL XRP-3000 RADIOMETER / PHOTOMETER KIT | | | |

Equipment Located at: 2681 East River Road
Moraine, Ohio 45439

Auction Date: June 3, 2025

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

| Lot | Qty. | Description | Lot | Qty. | Description |
|-----|------|---|-----|------|---|
| 67 | 1 | (LOT) 36" DIAMETER DAYTON PORTABLE FAN AND 8' BAUER FIBERGLASS LADDER | 89 | 1 | (LOT) 300 LB. OHAUS T31P AND 400 LB. GLOBAL 300625 DIGITAL SCALES |
| 68 | 1 | (LOT) MISCELLANEOUS BARREL CART, CART, STEEL BENCH, CHAIR, FAN | 90 | 1 | 6" X 9" DAYTON BELT / DISC SANDER |
| 69 | 1 | 4,000 LB. X 24 VOLT YALE MODEL MC40M4S071 ELECTRIC WALK BEHIND PALLET TRUCK; S/N S-201650, WITH CHARGER | 91 | 1 | 14" BAUER CUT-OFF SAW |
| 70 | 2 | ELECTRIC UTILITY HEATERS | 92 | 1 | 1/2" MILWAUKEE ELECTRIC HAMMER DRILL |
| 71 | 2 | 3-STATION LOCKERS | 93 | 1 | MILWAUKEE ELECTRIC SAWZALL |
| 72 | 1 | OPEN | 94 | 1 | PORTABLE ELECTRIC THREADER |
| 73 | 1 | OPEN | 95 | 1 | SNAP RING PLIER SET |
| 74 | 1 | OPEN | 96 | 1 | (LOT) MISCELLANEOUS TOOLS |
| 75 | 1 | (LOT) MISCELLANEOUS ELECTRONICS WITH 2-DOOR STEEL CABINET AND (2) CABINETS | 97 | 1 | (LOT) EFI MICROSONIC DETECTOR, CENTECH MULTIMETER, MICROPROCESSOR THERMOMETER |
| 76 | 3 | DESKS - NO COMPUTERS | 98 | 1 | CLARK MODEL CR-3 ROCKWELL TYPE DIGITAL HARDNESS TESTER; S/N CR-0023 |
| 77 | 1 | CONTENTS OF OFFICE - NO COMPUTERS | 99 | 1 | ATS MODEL ADT-12 DIGITAL HARDNESS TESTER; S/N 86DT29 |
| 78 | 1 | REMAINING CONTENTS OF ROOM INCLUDING DESKS AND CABINET - NO COMPUTER | 100 | 1 | ATS MODEL AR-12 HARDNESS TESTER; S/N 4786 |
| 79 | 1 | CANON IMAGE RUNNER ADVANCE COPIER | 101 | 1 | WILSON MODEL 3JR18RB HARDNESS TESTER; S/N 2695 |
| 80 | 1 | CONTENTS OF CONFERENCE ROOM | 102 | 1 | BRINELL HARDNESS TESTER; S/N 12804 |
| 81 | 1 | CONTENTS OF MAINTENANCE ROOM INCLUDING MACHINE PARTS, ELECTRONICS, HARDWARE | 103 | 1 | KING PORTABLE HARDNESS TESTER; SN YW91 |
| 82 | 1 | CONTENTS OF OFFICE - NO COMPUTERS | 104 | 1 | VERSITRON HARDNESS TESTER |
| 83 | 1 | CONTENTS OF OFFICE - NO FILE CABINETS | 105 | 1 | (LOT) HARDNESS STANDARDS AND TOOLING |
| 84 | 1 | CONTENTS OF ROOM | 106 | 1 | (LOT) TORCHES, VALVES, HOSE |
| 85 | 1 | (LOT) 27" X 45" HD STEEL CART AND STEEL SHELF | 107 | 1 | 130 AMP LINCOLN MODEL 180C MIG WELDER; S/N M3180517252 |
| 86 | 2 | 36" X 36" DOWNDRAFT TABLES | 108 | 1 | 225 AMP MILLER THUNDERBOLT XL WELDER; S/N N/A |
| 87 | 1 | DRYING CONVEYOR WITH 28" DIAMETER FAN | 109 | 1 | 41" X 25" X 1" GRAPHITE PLATE (NEW) |
| 88 | 2 | 46" X 18" X 74" WIRE RACKS | 110 | 1 | OPEN |
| | | | 111 | 1 | 5,500 KG WALKER MAGNETICS MODEL WBM-25PB ELECTRIC LIFTING MAGNET |
| | | | 112 | 1 | 15 HP US MOTORS, CAT NO. U15PIDFC MOTOR |

Equipment Located at: 2681 East River Road
Moraine, Ohio 45439

Auction Date: June 3, 2025

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

| Lot | Qty. | Description | Lot | Qty. | Description |
|------------|-------------|--|------------|-------------|--|
| 113 | 1 | (LOT) LIFTING CHAINS, CLAMPS, RACHET HOISTS AND CART | 141A | 1 | RIDGID TRISTAND |
| 114 | 1 | 36" PORTABLE METAL BRAKE WITH STAND | 142 | 1 | EMPIRE MODEL 5236 BLAST CABINET WITH EMPIRE MODEL CDC-6 DUST COLLECTOR |
| 115 | 1 | (LOT) MANUAL PIPE BENDERS | 143 | 3 | HD STEEL CARTS |
| 116 | 1 | (LOT)(2) 5 GALLON ATLANTIC POWERHOUSE DEGREASER AND (1) LUCAS OIL AW ISO32 HYDRAULIC OIL (NEW) | 144 | 1 | ROOT VACUUM PUMP - OUT OF SERVICE |
| 117 | 1 | YOUNG AND BERTKE ELECTRIC FURNACE, 24" X 24" X 24" INTERIOR | 145 | 1 | YALE WALK BEHIND ELECTRIC LIFT - OUT OF SERVICE |
| 118 | 1 | 2 TON CM LODESTAR ELECTRIC CHAIN HOIST | 146 | 1 | 5,000 LB. CROWN MODEL FC4520-60 SOLID TIRE ELECTRIC LIFT TRUCK; S/N 9A222682, 82" 3-STAGE MAT, 180" LIFT HEIGHT, SIDE SHIFT, 36 VOLT, 9,502 HOURS WITH BATTERY CHARGER |
| 119 | 1 | 20" BALANCER WITH (4) V-BLOCKS | 147 | 1 | 5,000 LB. CROWN MODEL FC4520-60 SOLID TIRE ELECTRIC LIFT TRUCK; S/N 9A222680, 82" 3-STAGE MAT, 180" LIFT HEIGHT, SIDE SHIFT, 36 VOLT, 9,450 HOURS WITH BATTERY CHARGER |
| 120 | 1 | MANUAL C-FRAME PRESS | 148 | 1 | 5,000 LB. CROWN MODEL FC4520-60 SOLID TIRE ELECTRIC LIFT TRUCK; S/N 9A222681, 82" 3-STAGE MAT, 180" LIFT HEIGHT, SIDE SHIFT, 36 VOLT, 9,198 HOURS - BATTERY CHARGER DISCONNECTED |
| 121 | 1 | 36" X 24" X 2" STEEL SURFACE PLATE | 149 | 1 | MTC BATTERY CHANGING SPREADER BAR |
| 122 | 1 | 36" X 24" X 4" GRANITE SURFACE PLATE | 150 | 1 | 4,000 LB. VESTIL LIFT TRUCK TYPE BOOM |
| 123 | 1 | REMAINING CONTENTS OF ROOM | 151 | 1 | 36" X 48' LIFT TRUCK TYPE MAN CAGE |
| 124 | 1 | DAKE H-FRAME PRESS | 152 | 6 | 275 GALLON WASTE OIL TOTES |
| 125 | 1 | 36" DIAMETER PORTABLE FAN | 153 | 6 | 275 GALLON WASTE OIL TOTES |
| 126 | 1 | 36" DIAMETER PORTABLE FAN | 154 | 1 | 14' ARM X 12' HIGH COLUMN X 2 TON GAFFNEY ROTATING JIB CRANE WITH 2 TON ELECTRIC CHAIN HOIST |
| 127 | 1 | 36" DIAMETER PORTABLE FAN | 155 | 1 | PANGBORN MODEL GN ESTIMATED 5' WIDE X 5' DEEP ROTOBlast BARREL BLAST CABINET |
| 128 | 1 | 36" DIAMETER PORTABLE FAN | 156 | 1 | 5 HP TORIT DUST COLLECTOR |
| 129 | 1 | 36" DIAMETER PORTABLE FAN | | | |
| 130 | 1 | 36" DIAMETER PORTABLE FAN | | | |
| 131 | 1 | 36" DIAMETER PORTABLE FAN | | | |
| 132 | 1 | 36" DIAMETER PORTABLE FAN | | | |
| 133 | 1 | 36" DIAMETER PORTABLE FAN | | | |
| 134 | 1 | 50,000 BTU DAYTON OIL FIRED PORTABLE HEATER | | | |
| 135 | 3 | 2-WHEEL DOLLIES | | | |
| 136 | 1 | 5,000 LB. PALLET TRUCK | | | |
| 137 | 1 | 5,000 LB. PALLET TRUCK | | | |
| 138 | 1 | 2,000 LB. EXTENSION BOOM HYDRAULIC ENGINE HOIST | | | |
| 139 | 1 | (LOT) TROY BILT GAS POWERED WEED WACKER AND 4 GALLON GREENWOOD BACK-PACK SPRAYER | | | |
| 140 | 1 | ACETYLENE CART | | | |
| 141 | 1 | 10' BAUER FIBERGLASS LADDER | | | |

Equipment Located at: 2681 East River Road
Moraine, Ohio 45439

Auction Date: June 3, 2025

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

| Lot | Qty. | Description | Lot | Qty. | Description |
|------------|-------------|---|------------|-------------|--|
| 157 | 1 | GOFF MODEL 48TBL EST 4' WIDE X 4' DEEP BLAST CABINET; S/N 10471-50-7509 (2010) | 170 | 1 | SURFACE COMBUSTION POWER CONVECTION ALLCASE NATURAL GAS FURNACE; S/N BC-41894-1, MAX TEMP 1,900 DEGREE F, CONTROLS, 32" X 34" X 60" INTERIOR |
| 158 | 1 | 5 HP WHEELBRATOR DUST COLLECTOR | 171 | 1 | SURFACE COMBUSTION COMPANION DRAW ELECTRIC FURNACE; S/N N/A, MAX TEMP 1,250 DEGREE F |
| 159 | 1 | IPSEN OUT OF SERVICE FURNACE; S/N 58670 | 171A | 1 | SURFACE NATURAL GAS RX GENERATOR; S/N BX-41141-1, MAX TEMP 1,950 DEGREE F, CONTROL, 5,600 CFH CAPACITY |
| 160 | 1 | BALTIMORE AIRCOIL MODEL FXT-142 COOLING TOWER; S/N U0130542 | 172 | 1 | DOW MODEL WOD304830 ELECTRIC QUENCH SYSTEM; S/N WJD-45E, 5 HP, 36 KW |
| 161 | 4 | LP GAS CYLINDER CAGES | 173 | 1 | SURFACE SUPER PROELECTRIC ALLCASE NATURAL GAS FURNACE; S/N BC-414S3-1, CONTROLS, MAX TEMP 1,750 DEGREE F, 135 KW, 32" X 34" X 60" INTERIOR |
| 162 | 1 | 100 HP AIRTEC MODEL AT-100HP AIR COMPRESSOR; S/N LGFB20211-4224 (NEW 2020) | 174 | 1 | BW ASSOCIATES QUENCH SYSTEM; S/N N/A, CONTROL |
| 163 | 1 | 125 HP GARDNER DENVER MODEL EDE99M AIR COMPRESSOR; S/N S211791 | 175 | 1 | SURFACE CONVECTION TEMPERING ELECTRIC FURNACE; S/N BC-41070-1, CONTROL, MAX TEMP 1,400 DEGREE F, 75 KW |
| 164 | 1 | AIRTEC MODEL ATD-100HP REFRIGERATED AIR DRYER; S/N SD001-2010-8008 (NEW 2020) | 176 | 1 | SURFACE FORCED AIR ELECTRIC FURNACE; S/N BO-39931-1B, CONTROL, MAX TEMP 1,250 DEGREE F, 75 KW |
| 165 | 1 | CONTENTS OF MAINTENANCE ROOM INCLUDING MACHINE PARTS, TOOLS, HARDWARE | 177 | 1 | SURFACE COMBUSTION COMPANION DRAW ELECTRIC FURNACE; S/N N/A, CONTROL, MAX TEMP 1,250 DEGREE F |
| 166 | 1 | GRIEVE MODEL TF243624 ELECTRIC FURNACE; S/N 740010, 42 KW, MAX TEMP 1,400 DEGREE F, 24" X 24" X 40" INTERIOR | 178 | 1 | SURFACE COMBUSTION COMPANION DRAW ELECTRIC FURNACE; S/N N/A, CONTROL, MAX TEMP 1,250 DEGREE F |
| 167 | 1 | SURFACE COMBUSTION POWER CONVECTION ALLCASE NATURAL GAS FURNACE; S/N BC-394221, MAX TEMP 1,750 DEGREE F, REBUILT CONTROLS, 32" X 34" X 60' INTERIOR | 179 | 1 | SURFACE COMBUSTION COMPANION DRAW ELECTRIC FURNACE; S/N N/A, CONTROL, MAX TEMP 1,250 DEGREE F |
| 168 | 1 | SURFACE HFC-36-54-30 NATURAL GAS FORCE AIR FURNACE; S/N BO-41950-1, MAX TEMP 1,400 DEGREE F, CONTROLS | | | |
| 169 | 1 | SURFACE HFC-36-54-30 NATURAL GAS FORCE AIR FURNACE; S/N N/A, MAX TEMP 1,400 DEGREE F, CONTROLS | | | |

Equipment Located at: 2681 East River Road
Moraine, Ohio 45439

Auction Date: June 3, 2025

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

| Lot | Qty. | Description | Lot | Qty. | Description |
|------------|-------------|---|------------|-------------|--|
| 180 | 1 | SURFACE COMBUSTION COMPANION DRAW NATURAL GAS FURNACE; S/N N/A, DRUM TYPE BODY, CONTROL, MAX TEMP 1,250 DEGREE F | 190 | 1 | 2012 CHEVY 2500 CARGO VAN; VIN # 1GCSGAFX3C1187084, AUTO TRANSMISSION, GAS ENGINE, LADDER RACK, 260,385 MILES |
| 181 | 1 | SURFACE COMBUSTION ALLCASE NATURAL GAS FURNACE; S/N N/A, CONTROL, EST MAX TEMP 1,750 DEGREE F | 191 | 1 | 2006 FORD E250 CARGO VAN; VIN # 1FTNE24L26DB16812, AUTOMATIC TRANSMISSION, 4.6 LITER GAS ENGINE, 202,412 MILES |
| 182 | 1 | SURFACE COMBUSTION ALLCASE NATURAL GAS FURNACE; S/N N/A, CONTROL, EST MAX TEMP 1,750 DEGREE F | 192 | 1 | 2015 RAM PROMASTER CITY MINI CARGO VAN; VIN # ZFBERFAT1G6B13024, TYPE MPV, 260,385 MILES |
| 183 | 1 | SURFACE COMBUSTION ALLCASE NATURAL GAS FURNACE; S/N N/A, CONTROL, EST MAX TEMP 1,750 DEGREE F | 193 | 1 | 5,000 LB. X 60" X 48" AND FC-20KI DIGITAL PLATFORM SCALE |
| 184 | 1 | SURFACE COMBUSTION 30-48 DEDP CHARGE CAR; S/N BC-45859 (2022) | 194 | 1 | STOKES MODEL 310-401 VACUUM PUMP, 2 HP |
| 185 | 1 | MFG UNKNOWN NATURAL GAS FURNACE; S/N N/A | 195 | 1 | STOKES MODEL 412H-11 VACUUM PUMP, 10 HP |
| 186 | 1 | SURFACE COMBUSTION POWER CONVECTION ALLCASE NATURAL GAS FURNACE; S/N BC-39401-1, CONTROL, MAX TEMP 2,000 DEGREE F | 196 | 1 | UNKNOWN KVA TRANSFORMER |
| 187 | 1 | SURFACE COMBUSTION RX NATURAL GAS GENERATOR; S/N BC-4809-1C, MAX TEMP 1,950 DEGREE F | 197 | 1 | 75 KVA EATON CAT NO. V48M22T75EE DRY TYPE DISTRIBUTION TRANSFORMER |
| 188 | 1 | 2018 FORD TRANSIT 250 HI-CUBE CARGO VAN; VIN # 1FTYR2CM6JKB50171, AUTOMATIC TRANSMISSION, V-6 ENGINE, 88" HEADROOM, 10' INTERIOR LENGTH, STEEL SHELVING, 208,539 MILES | 198 | 1 | 150 KVA CHALLENGER CAT NO. 150-425 QT-3 TRANSFORMER |
| 189 | 1 | 2014 DAIMLER / FREIGHTLINER SPRINT / BLUETEC HI-CUBE CARGO VAN; VIN # WDYPE7DC8F5950118, AUTOMATIC TRANSMISSION, GROUP FMBXT02.1HD1 DIESEL ENGINE, 86" HEADROOM, 10' INTERIOR LENGTH, 320,113 MILES | 199 | 1 | 1,800 LB. BIG JOE MODEL 2524-A5 ELECTRIC WALK BEHIND STACKER; S/N 357551, 12 VOLT, BUILT IN CHARGER |
| | | | 200 | 1 | 1,800 LB. BIG JOE MODEL 2524-A5 ELECTRIC WALK BEHIND STACKER; S/N 357550, 12 VOLT, BUILT IN CHARGER |
| | | | 201 | 1 | 1,800 LB. BIG JOE MODEL 2524-A5 ELECTRIC WALK BEHIND STACKER; S/N 310191, 12 VOLT, BUILT IN CHARGER |
| | | | 202 | 1 | 1,500 LB. BIG JOE MODEL 1518-RS ELECTRIC WALK BEHIND STACKER; S/N 74359, 12 VOLT, BUILT IN CHARGER |

Equipment Located at: 2681 East River Road
Moraine, Ohio 45439

Auction Date: June 3, 2025

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

| Lot | Qty. | Description | Lot | Qty. | Description |
|-----|------|---|-----|------|--|
| 203 | 1 | 1,800 LB. BIG JOE MODEL 2524A5 ELECTRIC WALK BEHIND STACKER; S/N N/A, 12 VOLT, NO CHARGER | 222 | 1 | 1,000 LB. BORBEL HOIST SYSTEM, LOADMASTER CHAIN HOIST WITH 12' OF RAIL |
| 204 | 1 | 14' ARM X 12' COLUMN X 2 TON ROTATING JIB CRANE WITH 2 TON ELECTRIC CHAIN HOIST | 223 | 1 | DESPATCH MODEL V-31-HD DOUBLE DOOR ELECTRIC FURNACE; S/N 119890, 650 DEGREE MAS TEMP., 24 KW, ASSET 019 |
| 205 | 4 | 6' BATTERY STANDS | 224 | 1 | ABAR IPSEN HR-50/2250 DEGREE VACUUM FURNACE, ASSET NO. 001 (1987), 36" WIDE X 42" DEEP X 36" HIGH WITH STOKES 412-11 VACUUM PUMP, CONTROL PANEL |
| 206 | 1 | 1/3 CUBIC FOOT JESSCO DUMP HOPPER WITH METAL SCRAP | 225 | 1 | IPSEN INDUSTRIES MODEL VFC-924- R 2,250 DEGREE ELECTRIC VACUUM FURNACE; S/N 58609, ASSET NO. 003 (1983), WITH STOKES MODEL 412-11 VACUUM PUMP, CONTROL PANEL - NOTE: THERMO COUPLES DISASSEMBLED |
| 207 | 1 | 1/3 CUBIC FOOT JESSCO DUMP HOPPER WITH METAL SCRAP | 226 | 1 | IPSEN INDUSTRIES MODEL VFC-924-5 2,250 DEGREE ELECTRIC VACUUM FURNACE; S/N 54001, ASSET NO. 005 (1968), WITH STOKES MODEL 4128-11 VACUUM PUMP, CONTROL PANEL, (3) 60 KVA OLSUN TRANSFORMERS - NOTE: BELTS OF VACUUM PUMP |
| 208 | 1 | 1/2 CUBIC FOOT JESSCO DUMP HOPPER WITH METAL SCRAP | 227 | 1 | IPSEN INDUSTRIES MODEL VFC-924- R 2,250 DEGREE VACUUM FURNACE, ASSET NO. 003, SHELL ONLY |
| 209 | 1 | 225 KVA VARIABLE REACTANCE TRANSFORMER | 228 | 1 | DESPATCH MODEL PSC3815C 500 DEGREE LOW TEMPERATURE DOUBLE WALK IN OVEN; S/N 164234, 10' WIDE X 9' DEEP X 8' HIGH, PUSH BUTTON CONTROLS |
| 210 | 1 | (LOT) MISCELLANEOUS PALLET RACK WITH MISCELLANEOUS MACHINE PARTS | 229 | 1 | EHE 10 KM DRYING OVEN; S/N EA- 3328, 30" WIDE X 36" DEEP X 30" HIGH |
| 211 | 1 | (LOT) MISCELLANEOUS PALLET RACK WITH MISCELLANEOUS MACHINE PARTS | 230 | 1 | EITEL MODEL RP-6 HYDRAULIC STRAIGHTENING PRESS; S/N 25176, 8" X 48" BED |
| 212 | 1 | (LOT) MISCELLANEOUS TOOLBOXES AND OUT OF SERVICE EQUIPMENT | | | |
| 213 | 7 | SKIDS CARBON MATERIAL | | | |
| 214 | 4 | SKIDS MISCELLANEOUS MACHINE PARTS | | | |
| 215 | 4 | SKIDS MISCELLANEOUS MACHINE PARTS | | | |
| 216 | 4 | SKIDS MISCELLANEOUS MACHINE PARTS | | | |
| 217 | 4 | SKIDS MISCELLANEOUS MACHINE PARTS | | | |
| 218 | 1 | 10 HP TORIT 6-FILTER DUST COLLECTOR WITH TORIT CONTROL | | | |
| 219 | 1 | 7.5 HP TORIT DONALDSON MODEL DF02-4 4-FILTER DUST COLLECTOR | | | |
| 220 | 3 | EMERGENCY EYEWASH | | | |
| 221 | 1 | MFG UNKNOWN NATURAL GAS FURNACE AND QUENCH SYSTEM - OUT OF SERVICE | | | |

Equipment Located at: 2681 East River Road
Moraine, Ohio 45439

Auction Date: June 3, 2025

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

| Lot | Qty. | Description | Lot | Qty. | Description |
|------|------|---|-----|------|--|
| 231 | 1 | AJAX TOCCO MODEL 5EA60-132 KVA INDUCTION FURNACE; S/N 88-1453-16, ASSET NO. 660, TOCCOTRON CONTROL - NOT OPERATIONAL | 302 | 1 | DE GRINDER - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 |
| 232 | 1 | AJAX TOCCO MODEL 4EG301-66 KVA INDUCTION FURNACE; S/N 12-858-11, ASSET NO. 660 | 303 | 1 | PORTER CABLE PORTA-BAND BANDSAW - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 |
| 233 | 1 | TEPCO / TRION FUME COLLECTOR | 304 | 1 | (LOT) DEWALT BANDSAW AND MALL SAW - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 |
| 234 | 1 | (LOT) PIT FURNACE CELL, LINDBERG MODEL 9578-UB-48-10, 1,500 LB. PIT FURNACE WITH NORTH ROP MATERIAL HANDLER, 5' DEEP X 10' HIGH PIT TYPE DIP TANK, COMPARATOR DRAW SYSTEM | 305 | 4 | ANGLE GRINDERS - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 |
| 235 | 1 | 2,000 LB. X 10' ARM FLOOR MOUNTED ROTATING JIB CRANE | 306 | 1 | BOSCH HAMMER DRILL - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 |
| 236 | 6 | 48" X 40" HD STEEL STACKABLE PARTS RACKS | 307 | 1 | MITSUBISHI MODEL MDS-C1-SP-185 CNC SPINDLE DRIVE UNIT - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 |
| 237 | 6 | 48" X 40" HD STEEL STACKABLE PARTS RACKS | 308 | 1 | (LOT) MISCELLANEOUS TOOLING WITH 2-DRAWER CABINET - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 |
| 238 | 4 | 48" X 40" HD STEEL STACKABLE PARTS RACKS | 309 | 1 | (LOT) PORTABLE 2-DOOR CABINET WITH MISCELLANEOUS TOOLING - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 |
| 239 | 17 | 48" X 32" X 12" NON-FERROUS PARTS BASKETS | 310 | 1 | 60" X 26" WOOD BENCH WITH MISCELLANEOUS TOOLING - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 |
| 240 | 13 | 36" DIAMETER X 24" HIGH NON FERROUS PARTS BASKETS | 311 | 1 | BALDOR DE GRINDER - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 |
| 241 | 1 | (LOT) NON FERROUS SCREEN TRAYS | 312 | 1 | BALDOR DE GRINDER - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 |
| 242 | 7 | 48" X 30" NON-FERROUS SHELVES | 313 | 1 | 36" X 20" KENNEDY 2-DRAWER BENCH - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 |
| 243 | 3 | 27" DIAMETER X 14" HIGH NON FERROUS BASKETS | | | |
| 244 | 1 | LOTS 244 - 299 ARE OPEN | | | |
| 299A | | ****LOTS 300 - 351 ARE LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439**** | | | |
| 300 | 1 | 8" DE GRINDER - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 | | | |
| 301 | 1 | BALDOR DE GRINDER / BUFFER - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 | | | |

Equipment Located at: 2681 East River Road
Moraine, Ohio 45439

Auction Date: June 3, 2025

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

| Lot | Qty. | Description | Lot | Qty. | Description |
|-----|------|--|-----|------|---|
| 314 | 1 | (LOT) BRASS TOOLING - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 | 326 | 1 | (LOT) MISCELLANEOUS EQUIPMENT INCLUDING LIFTING STRAPS, CHAIN HOIST, LEAF BLOWER, SAFETY REFLECTORS - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 |
| 315 | 1 | (LOT) C-CLAMPS - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 | 327 | 1 | 6-DRAWER KENNEDY HARDWARE CABINET WITH CONTENTS - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 |
| 316 | 1 | (LOT) MISCELLANEOUS GREASE GUNS - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 | 328 | 1 | STEEL CABINET WITH (2) MOTORS, HARDWARE, GRINDING WHEELS - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 |
| 317 | 1 | (LOT) MISCELLANEOUS PNEUMATIC TOOLS - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 | 329 | 1 | 15" X 48" MFG UNKNOWN MODEL M350 CENTRE LATHE; S/N N/A, 10" 3-JAW CHUCK, 2" THRU HOLE, TAIL STOCK, SPINDLE SPEED 40-2,200 RPM - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 |
| 318 | 1 | (LOT) MISCELLANEOUS WRENCHES - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 | 330 | 1 | QUICK CHANGE TOOL POST - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 |
| 319 | 1 | (LOT) MISCELLANEOUS TOOLS - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 | 331 | 1 | 2-DRAWER KENNEDY BENCH WITH TOOLING - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 |
| 320 | 2 | 24" AND 36" PORTABLE STEEL BENCH - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 | 332 | 1 | 13" X 40' CLAUSING COLCHESTER LATHE; S/N N/A, 8" 3-JAW CHUCK, 1-1/2" THRU HOLE, TAILSTOCK, SPINDLE SPEED 95-3,250 RPM - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 |
| 321 | 1 | 60" X 32" PORTABLE STEEL BENCH - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 | 333 | 1 | QUICK CHANGE TOOL POST - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 |
| 322 | 1 | GRECO SYSTEMS CNC MINIFILE - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 | 334 | 1 | 2-DRAWER KENNEDY BENCH WITH TOOLING - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 |
| 323 | 1 | (LOT) MISCELLANEOUS INSPECTION GAGES - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 | | | |
| 324 | 1 | 60" X 36" X 6" GRANITE SURFACE PLATE - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 | | | |
| 325 | 1 | 24" X 18" X 3" GRANITE SURFACE PLATE WITH 2-DOOR CABINET - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 | | | |

Equipment Located at: 2681 East River Road
Moraine, Ohio 45439

Auction Date: June 3, 2025

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count, or measure of any of the lots specified herein.

| Lot | Qty. | Description | Lot | Qty. | Description |
|------------|-------------|--|------------|-------------|---|
| 335 | 1 | 20" CLAUSING MODEL 2276 DRILL PRESS; S/N 527959 - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 | 342A | 1 | HAMMOND MODEL FDK-4 DUST COLLECTOR; S/N 6458 - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 |
| 336 | 1 | 3 HP SEIKI VS MODEL 3VH VERTICAL MILL; S/N 6683, 10" X 50" POWER TABLE, MEWALL SAPHIRE DRO, SPINDLE SPEED 60-4,200 RPM - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 | 343 | 1 | 18" GROB MODEL 4V-18 UBS; S/N 5272, WITH BLADE WELDER - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 |
| 337 | 1 | 6" MACHINE VISE WITH SWIVEL - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 | 344 | 1 | 2-DRAWER KENNEDY BENCH WITH TOOLING - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 |
| 338 | 1 | 3 HP ALLIANT MODEL RT2 VERTICAL MILL; S/N 90214229, 9" X 48" TABLE, SPINDLE SPEED 60-4,500 RPM - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 | 345 | 1 | 6" MACHINE VISE WITH SWIVEL - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 |
| 339 | 1 | 5" MACHINE VISE - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 | 346 | 1 | 62" X 26" WOOD BENCH WITH 5" VISE AND MISCELLANEOUS TOOLING - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 |
| 340 | 1 | 2 HP ALLIANT MODEL 42-S VERTICAL MILL; S/N 61110033, 9" X 42" TABLE, SPINDLE SPEED 60-4,500 RPM - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 | 347 | 1 | (LOT) END MILLS - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 |
| 341 | 1 | 6" MACHINE VISE - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 | 348 | 1 | (LOT) CENTERS AND CHUCKS - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 |
| 342 | 1 | 6" X 18" CHEVALIER MODEL FSG-618 GRINDER; S/N 02C-5692 - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 | 349 | 1 | (LOT) HOLDDOWNS - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 |
| | | | 350 | 1 | 62" X 26" WOOD BENCH WITH 6" VISE AND MISCELLANEOUS TOOLING - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 |
| | | | 351 | 1 | 14-DRAWER PORTABLE TOOLBOX WITH TOOLS AND TOOLING - LOCATED OFFSITE AT 2221 ARBOR BLVD., DAYTON, OHIO 45439 |